

Approved Materials List



Product Category : Timber			
MATERIAL : 1014M00105 Timber, Douglas Fir Treated			
APS00012790 — Arnold Forest Products - (Greenwood)Shreveport, LA 10818 Providence Road Shreveport, LA 71129		Phone : 318-925-6903 Fax :	Ext. # :
<u>Product</u>	<u>Approved On</u>	<u>Remarks</u>	
DouglasFirTrtd Arnold Forest Products	5-25-2017	Approved Treatment: CCA (Chromated Copper Arsenate)	
APS00012810 — Carpenters Pile & Poling, LLC - Picayune, MS 1900 Rosa Street Picayune, MS 39466		Phone : 601-749-7140 Fax :	Ext. # :
<u>Product</u>	<u>Approved On</u>	<u>Remarks</u>	
DouglasFirTrtd Carptrs Pile amd Poling	5-25-2017	Approved Treatment: Number 1 Creosote, Creosote Coal Tar, Penta (Penta Chlorophenol), CCA (Chromated Copper Arsenate)	
APS00012800 — Carpenters Pole & Piling Co. - Wiggins, MS P. O . Box 758 North Magnolia Drive Wiggins, MS 39577		Phone : 601-928-7026 Fax :	Ext. # :
<u>Product</u>	<u>Approved On</u>	<u>Remarks</u>	
DouglasFirTrtd Carptrs Pole and Piling	5-25-2017	Approved Treatment: CCA (Chromated Copper Arsenate)	
APS00012830 — DeSoto Treated Materials - Wiggins, MS Old Hwy 49 State Rouge 29 South Wiggins, MS 39577		Phone : 601-928-3921 Fax :	Ext. # :
<u>Product</u>	<u>Approved On</u>	<u>Remarks</u>	
DouglasFirTrtd Desoto Treated Matls	5-25-2017	Approved Treatment: CCA (Chromated Copper Arsenate)	
APS00012860 — Gordon Redd Preserving, Inc. - Brookhaven, MS 96 Sawmill Lane Brookhaven, MS 39601		Phone : 601-833-2311 Fax :	Ext. # :
<u>Product</u>	<u>Approved On</u>	<u>Remarks</u>	
DouglasFirTrtd GordonReddPreserving,Inc	5-25-2017	Approved Treatent: CCA (Chromated Copper Arsenate)	
APS00012840 — Kisatchie Treating, LLC - Converse, LA 10020 Highway 483 Converse, LA 71419		Phone : 318-645-7525 Fax :	Ext. # :
<u>Product</u>	<u>Approved On</u>	<u>Remarks</u>	
DouglasFirTrtd Kisatchie Treating, LLC	5-25-2017	Approved Treatment: CCA (Chromated Copper Arsenate)	
APS00014090 — McFarland Cascade - Lufkin, TX P. O. Box 1207 Lufkin, TX 75902-1202		Phone : 936-634-4552 Fax :	Ext. # :
<u>Product</u>	<u>Approved On</u>	<u>Remarks</u>	
DouglasFirTrtd McFarland Cascade-Lufkin	2-14-2019	Approved Treatment: Number 1 Pure Creosote	

Product Category : Timber**MATERIAL : 1014M00105 Timber, Douglas Fir Treated****APS00012820 — McFarland Cascade - Pineville, LA**74 Wadley Street
Pineville, LA 71361-0231**Phone : 318-442-2467 Ext. # :****Fax :**Product

DouglasFirTrtd McFarland Cascade

Approved On Remarks5-25-2017 Approved Treatment: Number 1 Creosote, Creosote Coal Tar, Penra
(Penta Chlorophenol), CCA (Chromated Copper Arsenate).**MATERIAL : 1014M00135 Timber, StrlGluedLaminate, GLULAM Treated****APS00012790 — Arnold Forest Products - (Greenwood)Shreveport, LA**10818 Providence Road
Shreveport, LA 71129**Phone : 318-925-6903 Ext. # :****Fax :**Product

GLULAM Trtd Arnold Forest Prod

Approved On Remarks

5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012810 — Carpenters Pile & Poling, LLC - Picayune, MS1900 Rosa Street
Picayune, MS 39466**Phone : 601-749-7140 Ext. # :****Fax :**Product

GLULAM Trtd Carptrs Pile amd Poling

Approved On Remarks5-25-2017 Approved Treatment: Number 1 Creosote, Creosote Coal Tar, Penta
(Penta Chlorophenol), CCA (Chromated Copper Arsenate)**APS00012800 — Carpenters Pole & Piling Co. - Wiggins, MS**P. O . Box 758
North Magnolia Drive
Wiggins, MS 39577**Phone : 601-928-7026 Ext. # :****Fax :**Product

GLULAM Trtd Carptrs Pole and Piling

Approved On Remarks

5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012830 — DeSoto Treated Materials - Wiggins, MSOld Hwy 49
State Rouge 29 South
Wiggins, MS 39577**Phone : 601-928-3921 Ext. # :****Fax :**Product

GLULAM Trtd Desoto Treated Matls

Approved On Remarks

5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012860 — Gordon Redd Preserving, Inc. - Brookhaven, MS96 Sawmill Lane
Brookhaven, MS 39601**Phone : 601-833-2311 Ext. # :****Fax :**Product

GLULAM Trtd Gordon Redd Preserving, Inc

Approved On Remarks

5-25-2017 Approved Treatment; CCA (Chromated Copper Arsenate)

APS00012840 — Kisatchie Treating, LLC - Converse, LA10020 Highway 483
Converse, LA 71419**Phone : 318-645-7525 Ext. # :****Fax :**Product

GLULAM Trtd Kisatchie Treating, LLC

Approved On Remarks

5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012820 — McFarland Cascade - Pineville, LA74 Wadley Street
Pineville, LA 71361-0231**Phone : 318-442-2467 Ext. # :****Fax :**Product

GLULAM Trtd McFarland Cascade

Approved On Remarks

5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

Product Category : Timber**MATERIAL : 1014M00165 Timber, Southern Pine, Treated**

APS00012790 — Arnold Forest Products - (Greenwood)Shreveport, LA **Phone : 318-925-6903** **Ext. # :**
10818 Providence Road **Fax :**
Shreveport, LA 71129

Product Approved On Remarks
SouthernPineTrtd Arnold Forest Products 5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012810 — Carpenters Pile & Poling, LLC - Picayune, MS **Phone : 601-749-7140** **Ext. # :**
1900 Rosa Street **Fax :**
Picayune, MS 39466

Product Approved On Remarks
SouthernPineTrtd Carptrs Pile and Poling 5-25-2017 Approved Treatment: Number 1 Creosote, Creosote Coal Tar, Penta (Penta Chlorophenol), CCA (Chromated Copper Arsenate)

APS00012800 — Carpenters Pole & Piling Co. - Wiggins, MS **Phone : 601-928-7026** **Ext. # :**
P. O . Box 758 **Fax :**
North Magnolia Drive
Wiggins, MS 39577

Product Approved On Remarks
SouthernPineTrtd Carptrs Pole and Piling 5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012830 — DeSoto Treated Materials - Wiggins, MS **Phone : 601-928-3921** **Ext. # :**
Old Hwy 49 **Fax :**
State Rouge 29 South
Wiggins, MS 39577

Product Approved On Remarks
SouthernPineTrtd Desoto Treated Matls 5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012860 — Gordon Redd Preserving, Inc. - Brookhaven, MS **Phone : 601-833-2311** **Ext. # :**
96 Sawmill Lane **Fax :**
Brookhaven, MS 39601

Product Approved On Remarks
SouthernPineTrtd Gordon Redd Preserving 5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012840 — Kisatchie Treating, LLC - Converse, LA **Phone : 318-645-7525** **Ext. # :**
10020 Highway 483 **Fax :**
Converse, LA 71419

Product Approved On Remarks
SouthernPineTrtd Kisatchie Treating, LLC 5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00014090 — McFarland Cascade - Lufkin, TX **Phone : 936-634-4552** **Ext. # :**
P. O. Box 1207 **Fax :**
Lufkin, TX 75902-1202

Product Approved On Remarks
SouthernPineTrtd McFarland CascadeLufkin 2-14-2019 Approved Treatment: Number 1 Pure Creosote

APS00012820 — McFarland Cascade - Pineville, LA **Phone : 318-442-2467** **Ext. # :**
74 Wadley Street **Fax :**
Pineville, LA 71361-0231

Product Approved On Remarks
SouthernPineTrtd McFarland Cascade 5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

MATERIAL : 1014M00430 Timber Preserv, ChromatedCopperArsenate

Product Category : Timber**MATERIAL : 1014M00430 Timber Preserv, ChromatedCopperArsenate****APS00014460 — S. I. Storey Lumber Company, Inc - Armuchee,GAS. I****Phone : 706-331-1605****Ext. # :**

285 Sike Storey Road

Fax :

Armuchee, GA 30105

Contact : Charles Coleman**Additional Info :** Mailing Address: P. O. Box 99, Armuchee, GA 30105ProductApproved On Remarks

Chromated Copper Arsenate - S.I.Storey

7-31-2020