Bid Number 50 - 00134262

LABOR , MATERIALS AND EQUIPMENT NECESSARY TO REMOVE AND HAUL AWAY EXISTING DOORS AND FRAMES INSTALL NEW DOORS AND FRAMES AT VARIOUS JEFFERSON PARISH RECREATION SITES.

MAY 18, 2021 at 2:00 pm

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, www.jeffparishbids.net, by the bid due date and time.

Donna Reamey
Dreamey@jeffparish.net
504-364-2684

To provide labor and materials to remove and haul away existing doors and frames and install new doors and frames at Various Westbank Recreation Department Sites

SPECIFICATIONS

Section 1.0 – Site Visits:

To view jobsite, or set up an appointment, please contact Steve Williams 504-349-5000. SCWilliams@Jeffparish.net, or Brandon Collins 504 -349-5006, BCollins@jeffparish.net.

Section 2.0 – License and Bonds:

A Louisiana State Contractor License is required:

Building Construction

NOTE- Louisiana State Contractors License number shall be on the outside of the bid envelope. The license number must be entered in the appropriate field in the Electronic Procurement System. Failure to comply will cause the bid to be rejected.

Bid Surety Bond:

A bid surety bond must be submitted with your bid in the amount of 5% of your total bid. Vendor must submit an electronic bid bond through the respective online clearinghouse bond management system as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.

Performance Bond:

A Performance Bond in the amount of 50% of the total contract amount will be required. Performance bond shall be produced upon contract execution.

Payment Bond:

A Payment Bond in the amount of 50% of the total contract amount will be required. Payment bond shall be produced upon contract execution.

Section 3.0 – Quantities/Inspection:

We extend this proposal to cover all labor, materials, and necessary essentials to remove and haul away existing door and replace with a new custom frame and door

Bidders must inspect the site and perform their own measurements in order to determine the proper quantity of materials and equipment required to complete this project. All measurements given in these specifications are informational only.

Section 4.0 – Bid Specifications (subsections describe four locations and specifics for that location)

- All work to be done in workmanlike manner.
- Also, any and all damage incurred during process of job will be contractor's responsibility.

Section 4.1 The successful bidder shall supply all labor, materials, and necessary essentials to perform the following at **Rose Thorne Playground as described:**

- Job site address is **865 Jean Lafitte Blvd, Lafitte , La 70067**

A. Storeroom by Outside Bathroom

1. Remove and haul away existing doors and frame from area
2. 1 Custom frame, Steel, 16 gauge, Masonry, RHR, Galvanized, Welded, Primed. Must match existing system.
3. 1 Custom Door, Steel, 16 Gauge, RHR, Polystyrene core, Galvanized and Primed. Must match existing system.
4. 1 Best Number. 45H-7AB-15J626 Mortise Lock, Escutcheon, Entry with Dead Bolt, 626. Must match existing system.
5. 1 Best Number 1E74-C4 Cylinder Housing. Must match existing system.
6. 1 Best Number 1CC7A2 Construction Core with Control and Construction Keys. Must match existing system.
7. 1 Best Cormax 7 Pin Final Core, keyed to current system. Must match existing system.
8. 1 Dorma Number 8949SPAT Closer, Parallel Mounted, Super Arm, Hold Open, 689. Must match existing system. 1 Hager Number 342D Latch Guards, Stainless Steel. Must match existing system.
9. 1 Hager Number 780-224HD Continuous Hinge, Full Mortise, Clear. Must match existing system.
10. 1 Hager Number 190S Kick Plate, 8 Inch Height, Stainless Steel.

11. 1 NGP Number LVRSG-3 Steel Louver, 18 Gauge, 16 gauge Security Grills-Both Sides, Aluminum Insect Screen, Torx Screws, Galvanized, Primed.
12. 1 NGP Number 160V Weather Stripping.
13. 1 NGP Number 425 Aluminum Threshold, ADA Compliant.
14. 1 NGP Number 101V Sweep, Drip, Clear.
15. Install New Frame, Door and Hardware. Finish coat to be done by others.

B. <u>Meeting Rooms, Rear Entrance</u>

1. Remove and haul away existing doors from area
2. 1 Custom Frame, Steel, 16 Gauge, Masonry, Galvanized, Welded, Primed. Must match existing system.
3. 1 Transom, Steel, 16 Gauge, Masonry, Galvanized, Welded, and Primed. Must match existing system
4. 4 Side Lites, Steel, 16 Gauge, Masonry, Galvanized, Welded, Primed. Must match existing system
5. 5 Transom & Side Lite Glass, ¼" Tempered Safety Glass.
6. 1 Custom Door, Steel, 16 Gauge, Polystyrene Core, Galvanized, Primed. Must match existing system.
7. 1 CRP Number ICLCKUL424 Mullion, Steel, Key Removable, Best I/C Core.Must match existing system
8. 2 Dorma Number 9300 Rim Exit Device, Grade 1, Heavy Duty, Stainless Steel. Must match existing system.
9. 2 Dorma Number YR08 Trims, Escutcheon, Lever Handle, Entry, Stainless Steel. Must match existing system.
10. 3 Best Number 1E74-C4 Cylinder Housings. Must match existing system.
11. 3 Best Number 1CC7A2 Construction Core w/Control and Construction Keys. Must match existing system.
12. 3 Best Cormax 7 Pin Final Core, Keyed to Current System. Must match existing system.
13. 2 Dorma Number 8916SPAT Closer, Parallel Mounted, Super Arm, Hold Open, 689. Must match existing system.
14. 2 Hager Number 780-224HD Continuous Hinges, Full Mortise, Clear. Must match existing system.
15. 2 Hager Number 342D Latch Guards, Stainless Steel. Must match existing system.
16. 2 Hager Number 190S Kick Plates, 8 Inch Height, Stainless Steel. Must match existing system.
17. 2 NGP Number LFRA100 Door Visions, ¼" Tempered Safety Glass. Must match existing system.
18. 1 NGP Number 425 Aluminum Threshold, ADA Compliant, Must match existing system
19. 2 NGP Number 101V Sweeps, Drip, Clear. Must match existing system

20. 1 NGP Number 1060V Weather stripping, clear. Must match existing system
21. Install New Door and Hardware. Finish coat to be done by others.

C. **Meeting Room Front Entrance**

1. Remove and haul away existing doors from area
2. 1 Custom Frame, Steel, 16 Gauge, Masonry, Welded, Galvanized, Primed. Must match existing system
3. 1 Transom, Steel, 16 Gauge, Masonry, Galvanized, Welded, and Primed. Must match existing system
4. 1 Transom Glass, ¼" Tempered Safety Glass. Must match existing system
5. 2 Custom Doors, Steel, 16 Gauge, Polystyrene Core, Galvanized, Primed. Must match existing system
6. 1 CRP Number ICLCKUL424 Mullion, Steel, Key Removable, Best I/C Core. Must match existing system
7. 2 Dorma Number 9300 Rim Exit Device, Grade 1, Heavy Duty, Stainless Steel. Must match existing system.
8. 2 Dorma Number YR08 Trims, Escutcheon, Lever Handle, Entry, Stainless Steel. Must match existing system.
9. 3 Best Number 1E74-C4 Cylinder Housings. Must match existing system.
10. 3 Best Number 1CC7A2 Construction Core w/Control and Construction Keys. Must match existing system.
11. 3 Best Cormax 7 Pin Final Core, Keyed to Current System. Must match existing system.
12. 2 Dorma Number 8916SPAT Closers, Parallel Mounted, Super Arm, Hold Open, 689. Must match existing system.
13. 2 Hager Number 780-224HD Continuous Hinges, Full Mortise, Clear. Must match existing system.
14. 2 Hager Number 342D Latch Guards, Stainless Steel. Must match existing system.
15. 2 Hager Number 190S Kick Plates, 8 Inch Height, Stainless Steel. Must match existing system.
16. 2 NGP Number LFRA100 Door Visions, ¼" Tempered Safety Glass. Must match existing system.
17. 1 NGP Number 425 Aluminum Threshold, ADA Compliant, Must match existing system
18. 2 NGP Number 101V Sweeps, Drip, Clear. Must match existing system
19. 1 NGP number 1060V Weather stripping, clear. Must match existing system
20. Install New Frame, Door and Hardware. Finish coat to be done by others.

D. Pavilion Storeroom

1. Remove and haul away existing frame, and door from area
2. 1 Custom Frame, Steel, 16 gauge, Masonry, Galvanized, Welded, Primed. Must match existing system
3. 1 Transom, Steel, 16 Gauge, Masonry, Galvanized, Welded, and Primed. Must match existing system
4. 1 Transom Panel, Steel 16 Gauge, Solid Poly Core, Galvanized, Primed. 1 Transom, Steel, 16 Gauge, Masonry, Galvanized, Welded, and Primed. Must match existing system
5. 1 Custom Doors, Steel, 16 Gauge, Solid Poly Core, Galvanized and Primed.
6. 1 Best Number 45H7AB-15J626 Mortise Lock, Escutcheon, Entry with Dead Bolt, 626. 1 Transom, Steel, 16 Gauge, Masonry, Galvanized, Welded, and Primed. Must match existing system
7. 1 Best Number 1E74-C4 Cylinder Housings. Must match existing system.
8. 1 Best Number 1CC7A2 Construction Core w/Control and Construction Keys. Must match existing system.
9. 1 Best Cormax 7 Pin Final Core, Keyed to Current System. Must match existing system.
10. 1 Dorma Number 8916SPAT Closers, Parallel Mounted, Super Arm, Hold Open, 689. Must match existing system.
11. 2 Hager Number 780-224HD Continuous Hinges, Full Mortise, Clear. Must match existing system.
12. 2 Hager Number 342D Latch Guards, Stainless Steel. Must match existing system.
13. 2 Hager Number 190S Kick Plates, 8 Inch Height, Stainless Steel. Must match existing system.
14. NGP Number LVRSG-3 Steel Louver, 18 Gauge, 16 Gauge Security Grills-Both Sides, Aluminum Insect Screen, Torx Screws, Galvanized, Primed. Must match existing system.
15. 1 NGP Number 425 Aluminum Threshold, ADA Compliant. Must match existing system
16. 1 NGP Number 101V Sweep, Drip, Clear. Must match existing system
17. 1 NGP Number 160V Weather Stripping. Must match existing system
18. Install New Frame, Door and Hardware. Finish coat to be done by others.
19. Remove and haul away existing doors from area

E. Pavilion Women's Restroom

1. Remove and haul away existing frame, and door from area
2. 1 Custom Frame, Steel 16 Gauge, Masonry, Galvanized, Welded, and Primed. Must match existing system.
3. 1 Transom, Steel, 16 Gauge, Masonry, Galvanized, Welded, and Primed. Must match existing system
4. 1 Transom Panel, Steel, 16 Gauge, Solid Poly Core, Galvanized, Welded and Primed. Must match existing system
5. 1 Custom Door, Steel, 16 Gauge, Polystyrene Core, Galvanized, Primed. Must match existing system
6. 1 Best Number 45H-7R-15J626 Mortise Lock, Escutcheon, Classroom, 626. Must match existing system
7. 1 Best Number 1E74-C4 Cylinder Housings. Must match existing system.
8. 1 Best Number 1CC7A2 Construction Core w/Control and Construction Keys. Must match existing system.
9. 1 Best Cormax 7 Pin Final Core, Keyed to Current System. Must match existing system.
10. 1 Dorma Number 8916PH Closer, Regular Mounted, Hold Open, 689. Must match existing system.
11. 1 Hager Number 780-224HD Continuous Hinge, Full Mortise, Clear. Must match existing system.
12. 1 Hager Number 190S Kick Plate, 8 Inch Height, Stainless Steel. Must match existing system.
13. 1 NGP Number LVRSG-3 Steel Louver, 18 Gauge, 16 gauge Security Grills-Both Sides, Aluminum Insect Screen, Torx Screws, Galvanized, Primed. Must match existing system
14. 1 NGP Number 425 Aluminum Threshold, ADA Compliant, Must match existing system.
15. 1 NGP Number 101V Sweeps, Drip, Clear. Must match existing system
16. 1 NGP Number 1060V Weather stripping, clear. Must match existing system
17. Install New Door and Hardware. Finish coat to be done by others.

F. Pavilion Men's Restroom

1. Remove and haul away existing frame, and door from area
2. 1 Custom Frame, Steel 16 Gauge, Masonry, Galvanized, Welded, and Primed. Must match existing system.
3. 1 Transom, Steel, 16 Gauge, Masonry, Galvanized, Welded, and Primed. Must match existing system
4. 1 Transom Panel, Steel, 16 Gauge, Solid Poly Core, Galvanized, Welded and Primed. Must match existing system
5. 1 Custom Door, Steel, 16 Gauge, Polystyrene Core, Galvanized, Primed. Must match existing system
6. 1 Best Number 45H-7R-15J626 Mortise Lock, Escutcheon, Classroom, 626. Must match existing system
7. 1 Best Number 1E74-C4 Cylinder Housings. Must match existing system.
8. 1 Best Number 1CC7A2 Construction Core w/Control and Construction Keys. Must match existing system.
9. 1 Best Cormax 7 Pin Final Core, Keyed to Current System. Must match existing system.
10. 1 Dorma Number 8916PH Closer, Regular Mounted, Hold Open, 689. Must match existing system.
11. 1 Hager Number 780-224HD Continuous Hinge, Full Mortise, Clear. Must match existing system.
12. 1 Hager Number 190S Kick Plate, 8 Inch Height, Stainless Steel. Must match existing system.
13. 1 NGP Number LVRSG-3 Steel Louver, 18 Gauge, 16 gauge Security Grills-Both Sides, Aluminum Insect Screen, Torx Screws, Galvanized, Primed. Must match existing system
14. 1 NGP Number 425 Aluminum Threshold, ADA Compliant, Must match existing system.
15. 1 NGP Number 101V Sweeps, Drip, Clear. Must match existing system
16. 1 NGP Number 1060V Weather stripping, clear. Must match existing system
17. Install New Door and Hardware. Finish coat to be done by others.

Section 4.2 The successful bidder shall supply all labor, materials, and necessary essentials to perform the following at **Johnny Jacobs Playground as described:**

- Job site address is **5851 5th Ave, Marrero, La 70072**

A. Front Entrance, Right Single RHR

1. Remove and haul away existing doors and frame from area

2. 1 Custom frame, Steel, 16 gauge, Masonry, 4" Header, Galvanized, Welded, Primed
3. 1 Custom Door, Steel, 16 Gauge, RHR, Polystyrene core, Galvanized and Primed.
4. 1 Dorma Number 9300 Rim Exit Device, Grade 1, Heavy Duty, Stainless Steel. Must match existing system.
5. 1 Dorma Number YR08 Trim, Escutcheon, Lever Handle, Entry, Stainless Steel. Must match existing system.
6. 1 Best Number 1E74-C4 Cylinder Housing. Must match existing system.
7. 1 Best Number 1CC7A2 Construction Cores w/Control and Construction Keys. Must match existing system.
8. 1 Best Cormax 7 Pin Final Core, Keyed to Current System. Must match existing system.
9. 1 Dorma Number 8916SPAT Closer, Parallel Mounted, Super Arm Hold Open, 689
10. 1 Hager Number 780-224HD Continuous Hinge, Full Mortise, Clear.
11. 1 Hager Number 342D Latch Guard, Stainless Steel. Must match existing system.
12. 1 Hager Number 190S Kick Plate, 8 Inch Height, Stainless Steel.
13. 1 NGP Number 425 Aluminum Threshold, ADA Compliant.
14. 1 NGP Number 101V Sweep, Drip, Clear.
15. 1 NGP Number 160V Weather Stripping. Must match existing system
16. Install New Frame, Door and Hardware. Finish coat to be done by others.

B. <u>Front Entrance, Left Single, LHR</u>

1. Remove and haul away existing doors and frame from area
2. 1 Custom frame, Steel, 16 gauge, Masonry, 4" Header, Galvanized, Welded, Primed
3. 1 Custom Door, Steel, 16 Gauge, Polystyrene core, Galvanized and Primed.
4. 1 Dorma Number 9300 Rim Exit Device, Grade 1, Heavy Duty, Stainless Steel. Must match existing system.
5. 1 Dorma Number YR08 Trim, Escutcheon, Lever Handle, Entry, Stainless Steel. Must match existing system.
6. 1 Best Number 1E74-C4 Cylinder Housing. Must match existing system.
7. 1 Best Number 1CC7A2 Construction Cores w/Control and Construction Keys. Must match existing system.
8. 1 Best Cormax 7 Pin Final Core, Keyed to Current System. Must match existing system. Must match existing system.

9. 1 Dorma Number 8916SPAT Closer, Parallel Mounted, Super Arm, Hold Open, 689. Must match existing system.
10. 1 Hager Number 780-224HD Continuous Hinge, Full Mortise, Clear. Must match existing system.
11. 1 Hager Number 342D Latch Guard, Stainless Steel. Must match existing system.
12. 1 Hager Number 190S Kick Plate, 8 Inch Height, Stainless Steel. Must match existing system.
13. 1 NGP Number 425 Aluminum Threshold, ADA Compliant. Must match existing system.
14. 1 NGP Number 101V Sweep, Drip, Clear. Must match existing system.
15. 1 NGP Number 160V Weather Stripping. Must match existing system. Must match existing system.
16. Install New Frame, Door and Hardware. Finish coat to be done by others.

C. **Foyer Exit**

1. Remove and haul away existing doors and frame from area
2. 1 Custom Door, Steel, 16 Gauge, Polystyrene core, Galvanized and Primed.
3. 1 Best Number 45H-7D-15J626 Mortice lock, Escutcheon, Storeroom, 626. Must match existing system.
4. 1 Best Number 1CC7A2 Construction Core with control and construction keys. Must match existing system.
5. 1 Best Cormax 7 Pin Final Core, Keyed to Current System. Must match existing system. Must match existing system.
6. 1 Dorma Number 8916PH Closer, Regular Mounted, Hold Open, 689. Must match existing system.
7. 1 Hager Number 780-224HD Continuous Hinge, Full Mortise, Clear. Must match existing system.
8. 1 Hager Number 342D Latch Guard, Stainless Steel. Must match existing system.
9. 1 Hager Number 190S Kick Plate, 8 Inch Height, Stainless Steel. Must match existing system.
10. 1 NGP Number 160V Weather Stripping. Must match existing system. Must match existing system.
11. Install New Frame, Door and Hardware. Finish coat to be done by others.

D. **Garage Exterior Entrance**

1. Remove and haul away existing frame, and door from area
2. 1 Custom Frame, Steel, 16 gauge, Masonry, 4 inch Header, Galvanized, Welded, Primed. Must match existing system.
3. 1 Custom Doors, Steel, 16 Gauge, Polystyrene core, Galvanized and Primed. Must match existing system.
4. 1 Best Number 45H-7D-15J626 Mortice lock, Escutcheon, Entry with Dead Bolt, 626. Must match existing system.

5. 1 Best Number 1CC7A2 Construction Core with control and construction keys. Must match existing system.
6. 1 Best Cormax 7 Pin Final Core, Keyed to Current System. Must match existing system. Must match existing system.
7. 1 Dorma Number 8916SPAT Closer, Parallel Mounted, Super Arm, Hold Open, 689. Must match existing system.
8. 1 Hager Number 780-224HD Continuous Hinge, Full Mortise, Clear. Must match existing system.
9. 1 Hager Number 342D Latch Guard, Stainless Steel. Must match existing system.
10. 1 Hager Number 190S Kick Plate, 8 Inch Height, Stainless Steel. Must match existing system.
11. 1 NGP Number 425 Aluminum Threshold, ADA Compliant. Must match existing system.
12. 1 NGP Number 101V Sweep, Drip, Clear. Must match existing system.
13. 1 NGP Number 160V Weather Stripping. Must match existing system. Must match existing system.
14. Install New Frame, Door and Hardware. Finish coat to be done by others.

E. Garage Interior Entrance

1. Remove and haul away existing frame, and door from area
2. 1 Custom Frame, Steel, 16 gauge, Masonry, 4 inch Header, Galvanized, Welded, Primed. Must match existing system.
3. 1 Custom Doors, Steel, 16 Gauge, Polystyrene core, Galvanized and Primed. Must match existing system.
4. 1 Best Number 45H-7D-15J626 Mortice lock, Escutcheon, Entry with Dead Bolt, 626. Must match existing system.
5. 1 Best Number 1CC7A2 Construction Core with control and construction keys. Must match existing system.
6. 1 Best Cormax 7 Pin Final Core, Keyed to Current System. Must match existing system. Must match existing system.
7. 1 Dorma Number 8916SPAT Closer, Parallel Mounted, Super Arm, Hold Open, 689. Must match existing system.
8. 1 Hager Number 780-224HD Continuous Hinge, Full Mortise, Clear. Must match existing system.
9. 1 Hager Number 190S Kick Plate, 8 Inch Height, Stainless Steel. Must match existing system.
10. 1 NGP Number 425 Aluminum Threshold, ADA Compliant. Must match existing system.
11. 1 NGP Number 101V Sweep, Drip, Clear. Must match existing system.
12. 1 NGP Number 160V Weather Stripping. Must match existing system. Must match existing system.

13. Install New Frame, Door and Hardware. Finish coat to be done by others.

F. **Men's Restroom, Exterior Entrance**

1. Remove and haul away existing frame, and door from area
2. 1 Custom Frame, Steel, 16 gauge, Masonry, 4 inch Header, Galvanized, Welded, Primed
3. 1 Custom Doors, Steel, 16 Gauge, Polystyrene core, Galvanized and Primed.
4. 1 Best Number 45H-7R-15J626 Mortise Lock, Escutcheon, Classroom, 626. Must match existing system
5. 1 Best Number 1E74-C4 Cylinder Housings. Must match existing system.
6. 1 Best Number 1CC7A2 Construction Core w/Control and Construction Keys. Must match existing system.
7. 1 Best Cormax 7 Pin Final Core, Keyed to Current System. Must match existing system.
8. 1 Dorma Number 8916PH Closer, Regular Mounted, Hold Open, 689. Must match existing system.
9. 1 Hager Number 780-224HD Continuous Hinge, Full Mortise, Clear. Must match existing system.
10. 1 Hager Number 190S Kick Plate, 8 Inch Height, Stainless Steel. Must match existing system.
11. 1 NGP Number 425 Aluminum Threshold, ADA Compliant, Must match existing system.
12. 1 NGP Number 101V Sweeps, Drip, Clear. Must match existing system
13. 1 NGP Number 1060V Weather stripping, clear. Must match existing system
14. Install New Door and Hardware. Finish coat to be done by others.

Section 4.3 The successful bidder shall supply all labor, materials, and necessary essentials to perform the following at **Kennedy Heights Playground as described:**
Job site address is **4000 U. S. Highway 90, Avondale, La 70094**

A. **Office**

1. Remove and haul away existing doors and frame from area
2. 1 Custom frame, Steel, 16 gauge, Masonry, 4" Header, Galvanized, Welded, Primed. Must match existing system.
3. 1 Custom Door, Steel, 16 Gauge, Polystyrene core, Galvanized and Primed. Must match existing system.
4. 1 Best Number 45H-7D-15J626 Mortice lock, Escutcheon, Entry with Dead Bolt, 626. Must match existing system.

5. 1 Best Number 1E74-C4 Cylinder Housing. Must match existing system.
6. 1 Best Number 1CC7A2 Construction Cores w/Control and Construction Keys. Must match existing system.
7. 1 Best Cormax 7 Pin Final Core, Keyed to Current System. Must match existing system.
8. 1 Dorma Number 8916PH Closer, Regular Mounted, Super Arm Hold Open, 689. Must match existing system.
9. 1 Hager Number 780-224HD Continuous Hinge, Full Mortise, Clear. Must match existing system.
10. 1 Hager Number 190S Kick Plate, 8 Inch Height, Stainless Steel. Must match existing system.
11. 1 NGP Number L-FRA100 Half Vision, with ¼" Tempered Safety Glass. Must match existing system.
12. 1 NGP Number 160V Weather Stripping. Must match existing system
13. Install New Frame, Door and Hardware. Finish coat to be done by others.

B. Meeting Room, Front & Rear

1. Remove and haul away existing doors and frame from area
2. 2 Custom Doors, Steel, 16 Gauge, Polystyrene core, Galvanized and Primed. Must match existing system.
3. 2 Best Number 45H-7D-15J626 Mortice locks, Escutcheon, Classroom, 626. Must match existing system.
4. 2 Best Number 1E74-C4 Cylinder Housings. Must match existing system.
5. 2 Best Number 1CC7A2 Construction Cores w/Control and Construction Keys. Must match existing system.
6. 2 Best Cormax 7 Pin Final Cores, Keyed to Current System. Must match existing system. Must match existing system.
7. 2 Dorma Number 8916SPT Closers, Parallel Mounted, Super Arm, Hold Open, 689. Must match existing system.
8. 1 Hager Number 780-224HD Continuous Hinges, Full Mortise, Clear. Must match existing system.
9. 1 Hager Number 190S Kick Plates, 8 Inch Height, Stainless Steel. Must match existing system.
10. 1 NGP Number 160V Weather Stripping. Must match existing system. Must match existing system.
11. Install New Frame, Door and Hardware. Finish coat to be done by others.

C. Interior Gym Entrance by Bathroom

1. Remove and haul away existing doors and frame from area

2. 1 Custom frame, Steel, 16 gauge, Masonry, 4" Header, Galvanized, Welded, Primed. Must match existing system
3. 1 CRP Number ICLCKUL424 Mullion, Steel, Key Removable, Best I/C Core. Must match existing system
4. 2 Custom Doors, Steel, 16 Gauge, Polystyrene core, Galvanized and Primed.
5. 2 Dorma Number 9300 Rim Exit Devices, Grade1, Heavy Duty, Stainless Steel. Must match existing system
6. 2 Dorma number YR08 Escutcheon Lever Trims, Stainless Steel. Must match existing system
7. 3 Best Number 1E74-C4 Cylinder Housings. Must match existing system.
8. 3 Best Number 1CC7A2 Construction Cores with control and construction keys. Must match existing system.
9. 3 Best Cormax 7 Pin Final Cores, Keyed to Current System. Must match existing system. Must match existing system.
10. 2 Dorma Number 8916SPAT Closers, Super Arm, Thumb Turn Hold Open. Must match existing system.
11. 2 Hager Number 780-224HD Continuous Hinges, Full Mortise, Clear. Must match existing system.
12. 2 NGP Number L-FRA100 Visions, with ¼" Protect 3 Impact Wire Glass. Must match existing system.
13. 1 NGP Number 160V Weather Stripping. Must match existing system. Must match existing system.
14. Install New Frame, Door and Hardware. Finish coat to be done by others.

D. **Office**

1. Remove and haul away existing doors and frame from area
2. 1 Custom frame, Steel, 16 gauge, Masonry, 4" Header, Galvanized, Welded, Primed. Must match existing system.
3. 1 Custom Door, Steel, 16 Gauge, Polystyrene core, Galvanized and Primed. Must match existing system.
4. 1 Best Number 45H-7D-15J626 Mortice lock, Escutcheon, Entry with Dead Bolt, 626. Must match existing system.
5. 1 Best Number 1E74-C4 Cylinder Housing. Must match existing system.
6. 1 Best Number 1CC7A2 Construction Cores w/Control and Construction Keys. Must match existing system.
7. 1 Best Cormax 7 Pin Final Core, Keyed to Current System. Must match existing system.
8. 1 Dorma Number 8916PH Closer, Regular Mounted, Super Arm Hold Open, 689. Must match existing system.
9. 1 Hager Number 780-224HD Continuous Hinge, Full Mortise, Clear. Must match existing system.
10. 1 Hager Number 190S Kick Plate, 8 Inch Height, Stainless Steel. Must match existing system.

11. 1 NGP Number L-FRA100 Half Vision, with ¼" Tempered Safety Glass. Must match existing system.
12. 1 NGP Number 160V Weather Stripping. Must match existing system
13. Install New Frame, Door and Hardware. Finish coat to be done by others.

E. Meeting Room, Front & Rear

1. Remove and haul away existing doors and frame from area
2. 2 Custom Doors, Steel, 16 Gauge, Polystyrene core, Galvanized and Primed. Must match existing system.
3. 2 Best Number 45H-7D-15J626 Mortice locks, Escutcheon, Classroom, 626. Must match existing system.
4. 2 Best Number 1E74-C4 Cylinder Housings. Must match existing system.
5. 2 Best Number 1CC7A2 Construction Cores w/Control and Construction Keys. Must match existing system.
6. 2 Best Cormax 7 Pin Final Cores, Keyed to Current System. Must match existing system. Must match existing system.
7. 2 Dorma Number 8916SPT Closers, Parallel Mounted, Super Arm, Hold Open, 689. Must match existing system.
8. 1 Hager Number 780-224HD Continuous Hinges, Full Mortise, Clear. Must match existing system.
9. 1 Hager Number 190S Kick Plates, 8 Inch Height, Stainless Steel. Must match existing system.
10. 1 NGP Number 160V Weather Stripping. Must match existing system. Must match existing system.
11. Install New Frame, Door and Hardware. Finish coat to be done by others.

F. Interior Gym Entrance by Bathroom

1. Remove and haul away existing doors and frame from area
2. 1 Custom frame, Steel, 16 gauge, Masonry, 4" Header, Galvanized, Welded, Primed. Must match existing system
3. 1 CRP Number ICLCKUL424 Mullion, Steel, Key Removable, Best I/C Core. Must match existing system
4. 2 Custom Doors, Steel, 16 Gauge, Polystyrene core, Galvanized and Primed.
5. 2 Dorma Number 9300 Rim Exit Devices, Grade1, Heavy Duty, Stainless Steel. Must match existing system
6. 2 Dorma number YR08 Escutcheon Lever Trims, Stainless Steel. Must match existing system
7. 3 Best Number 1E74-C4 Cylinder Housings. Must match existing system.

8. 3 Best Number 1CC7A2 Construction Cores with control and construction keys. Must match existing system.
9. 3 Best Cormax 7 Pin Final Cores, Keyed to Current System. Must match existing system. Must match existing system.
10. 2 Dorma Number 8916SPAT Closers, Super Arm, Thumb Turn Hold Open. Must match existing system.
11. 2 Hager Number 780-224HD Continuous Hinges, Full Mortise, Clear. Must match existing system.
12. 2 NGP Number L-FRA100 Visions, with ¼" Protect 3 Impact Wire Glass. Must match existing system.
13. 1 NGP Number 160V Weather Stripping. Must match existing system. Must match existing system.
14. Install New Frame, Door and Hardware. Finish coat to be done by others.

Section 4.4 The successful bidder shall supply all labor, materials, and necessary essentials to perform the following at **Terrytown Playground as described:**

- Job site address is **641 Heritage Ave, Terrytown, La 70056**

A. Meeting Room 101

1. Remove and haul away existing doors and frame from area
2. 2 Custom Doors, Steel, 16 Gauge, Polystyrene core, Galvanized and Primed. Must match existing system.
3. 2 Dorma Number 9300 Rim Exit Devices, Grade 1, Heavy Duty, Stainless Steel. Must match existing system.
4. 1 Dorma Number YR08 Escutcheon Lever Trim, Stainless Steel. Must match existing system.
5. 1 CRP Number UL424 Mullion, Steel, Welded. Must match existing system.
6. 1 Best Number 1E74-C4 Cylinder Housing. Must match existing system.
7. 1 Best Number 1CC7A2 Construction Core with Control and Construction Keys. Must match existing system.
8. 1 Best Cormax 7 Pin Final Core, keyed to current system. Must match existing system.
9. 2 Dorma Number 89SPA Closers, Parallel Mounted, Super Arm Hold Open, 689. Must match existing system.
10. 2 Hager Number 780-224HD Continuous Hinges, Full Mortise, Clear. Must match existing system.
11. Install New Frame, Door and Hardware. Finish coat to be done by others.

B. Front Gym Entrance, Middle Pair

1. Remove and haul away existing doors from area
2. 2 Custom Doors, Steel, 16 Gauge, Polystyrene Core, Galvanized, Primed. Must match existing system.
3. 2 Dorma Number 9300 Rim Exit Devices, Fire Rated, Grade 1, Heavy Duty, Stainless Steel. Must match existing system.
4. 2 Dorma Number YR08 Escutcheon Lever Trims, Stainless Steel. Must match existing system.
5. 1CRP Number ICLCKUL424 Mullion, Steel, Key Removable, Best I/C Core. Must match existing system.
6. 3 Best Number 1E74-C4 Cylinder Housings. Must match existing system.
7. 3 Best Number 1CC7A2 Construction Cores w/Control and Construction Keys. Must match existing system.
8. 3 Best Cormax 7 Pin Final Cores, Keyed to Current System. Must match existing system.
9. 2 Dorma Number 8916SPA Closers, Super Arm, Parallel Mounted, 689. Must match existing system.
10. 2 Hager Number 780-224HD Continuous Hinges, Full Mortise, Clear. Must match existing system.
11. Install New Door and Hardware. Finish coat to be done by others.

B. Front Gym Entrance, Right Pair

1. Remove and haul away existing doors from area
2. 2 Custom Doors, Steel, 16 Gauge, Polystyrene Core, Galvanized, Primed.
3. 2 Dorma Number 9300 Rim Exit Devices, Grade 1, Heavy Duty, Fire Rated, Stainless Steel. Must match existing system.
4. 2 Dorma Number YR08 Escutcheon Lever Trims, Stainless Steel. Must match existing system.
5. 1 CRP Number ICLCKUL424 Mullion, Steel, Key Removable, Best I/C Core. Must match existing system.
6. 2 Best Number 1E74-C4 Cylinder Housings. Must match existing system.
7. 2 Best Number 1CC7A2 Construction Cores w/Control and Construction Keys. Must match existing system.
8. 2 Best Cormax 7 Pin Final Cores, Keyed to Current System. Must match existing system.
9. 2 Dorma Number 8916SPA Closers, Super Arm, Parallel Mounted, 689. Must match existing system.
10. 2 Hager Number 780-224HD Continuous Hinges, Full Mortise, Clear. Must match existing system.

11. Install New Door and Hardware. Finish coat to be done by others.

D. Rear Gym Entrance

1. Remove and haul away existing doors from area
2. 2 Custom Doors, Steel, 16 Gauge, Polystyrene Core, Galvanized, Primed. Must match existing system.
3. 2 Dorma Number 9300 Rim Exit Devices, Grade 1, Heavy Duty, Fire Rated, Stainless Steel. Must match existing system.
4. 2 Dorma Number YR08 Escutcheon Lever Trims, Stainless Steel. Must match existing system.
5. 1 CRP Number ICLCKUL424 Mullion, Steel, Key Removable, Best I/C Core. Must match existing system.
6. 3 Best Number 1E74-C4 Cylinder Housings. Must match existing system.
7. 3 Best Number 1CC7A2 Construction Cores w/Control and Construction Keys. Must match existing system.
8. 3 Best Cormax 7 Pin Final Cores, Keyed to Current System. Must match existing system.
9. 2 Dorma Number 8916SPA Closers, Super Arm, Parallel Mounted, 689. Must match existing system.
10. 2 Hager Number 780-224HD Continuous Hinges, Full Mortise, Clear. Must match existing system.
11. Install New Door and Hardware. Finish coat to be done by others.

D. Front Entrance, Right Pair

1. 2 Dorma Number 8916SPAT Closers, Super Arm, Parallel Mounted, 689. Must match existing system.

E. Front Entrance, Middle Pair

1. 1 Von Duprin Number 996L Escutcheon Lever Trim, Entry, 626. Must match existing system.

F. Front Entrance, Left Pair

1. 2 Dorma Number 8916SPAT Closers, Super Arm, Parallel Mounted, 689. Must match existing system.

Section 5.0 – Cleaning Area and Safety:

Contractor must perform daily housekeeping on work area and removal of job debris

Section 6.0 – Pre-Construction Conference and Notice to Proceed:

A Pre-Installation Conference shall be held between the successful bidder and the owner before any work commences.

Section 7.0 – Construction Term

Upon receiving a notice to proceed, the Bidder agrees that all work shall be completed as follows: Vendor agrees to commence actual physical work on the site with an adequate force and equipment within 10 days from the date of Notice of Proceed. All work shall be substantially completed in **NINETY (90)** consecutive calendar days from date of Notice to Proceed.

DATE: 4/21/2021

BID NO.: 50-00134262

INVITATION TO BID
THIS IS NOT AN ORDER

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

BUYER: DREAMEY@jeffparish.net

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 5/18/2021 AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053. At no charge, bidders are to submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2620(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647 as amended.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from http://purchasing.jeffparish.net and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the buyer's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website http://purchasing.jeffparish.net or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website http://purchasing.jeffparish.net or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA – R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at http://purchasing.jeffparish.net.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 as amended. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053.
You may also obtain a copy by visiting the Purchasing Department webpage at http://purchasing.jeffparish.net and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

3,4,5,6,8,9,10,11,13,15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.

2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.

3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.

5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.

6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

7. PUBLIC WORKS BIDS: All awards for public works in excess of $5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of $25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.

8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.

9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.

10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.

11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies) When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.

12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.

13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.

14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment."). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.

See Page 1 for Conflicts of Interest Statement

BID NO.: 50-00134262

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO _____

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF _____.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed,for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: _____

ADDRESS: _____

CITY, STATE: _____ ZIP: _____

TELEPHONE: ( ) _____ FAX: ( ) _____

EMAIL ADDRESS: _____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form.Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: $ _____

AUTHORIZED SIGNATURE: _____ _____

Printed Name

TITLE: _____

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134262

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			LABOR, MATERIALS & EQUIPMENT NECESSARY TO REMOVE & HAUL AWAY EXISTING DOORS & FRAMES, INSTALL NEW DOORS & FRAMES AT VARIOUS JEFFERSON PARISH RECREATION SITES.		
1	1.00	JOB	0010 Remove and replace doors and hardware at Rosethorne Playground.		
2	1.00	JOB	0020 Remove,and replace doors and hardware at Johnny Jacobs Playground. See attached specs.		
3	1.00	JOB	0030 Remove and replace doors and hardware at Kennedy Heights Playground. See attached specs		
4	1.00	JOB	0040 Remove and replace doors and hardware at Terrytown Playground. See atached specs.		

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF

_____

INCORPORATED.

AT THE MEETING OF DIRECTORS OF _____
INCORPORATED, DULY NOTICED AND HELD ON _____,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT WAS:

RESOLVED THAT _____, BE AND IS HEREBY APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES, DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES, CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-FACT.

I HEREBY CERTIFY THE FOREGOING TO BE A TRUE AND CORRECT COPY OF AN EXCERPT OF THE MINUTES OF THE ABOVE DATED MEETING OF THE BOARD OF DIRECTORS OF SAID CORPORATION, AND THE SAME HAS NOT BEEN REVOKED OR RESCINDED.

_____

SECRETARY-TREASURER

_____

DATE

Non-Public Works Bid
Affidavit Instructions

- **Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.**
- **Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.**
- **Affidavit must be notarized or the affidavit will not be accepted.**
- **Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.**
- **Affiant MUST select either A or B when required or the affidavit will not be accepted.**
- **Affiants who select choice A must include an attachment or the affidavit will not be accepted.**
- **If both choice A and B are selected, the affidavit will not be accepted.**
- **Affidavit marked N/A will not be accepted.**
- **It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.**

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF _____

PARISH/COUNTY OF _____

BEFORE ME, the undersigned authority, personally came and appeared: _____ _____, (Affiant) who after being by me duly sworn, deposed and said that he/she is the fully authorized _____ of _____ (Entity), the party who submitted a bid in response to Bid Number _____, to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B _____ there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A <u>or</u> B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B _____ There are **<u>NO</u>** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[*The remainder of this page is intentionally left blank.*]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

_____
Signature of Affiant

_____
Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME
ON THE _____ DAY OF _____, 20___.

_____
Notary Public

_____
Printed Name of Notary

_____
Notary/Bar Roll Number

My commission expires _____.

Bid Bond

An Electronic Bid Bond must be submitted with this bid, through one of the respective clearing houses at www.jeffparish.net or www.centralbidding.com. To access the bonding companies on Central Bidding, hover over the "Central Bidding" link at the top of the page and select the "Bid Bonds" link.

The electronic bid bond number is to be placed in the required section listed on the standard envelope. Scanned copies of bid bonds will not be accepted with your submission.



STANDARD INSURANCE REQUIREMENTS FOR BIDDING PURPOSES

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 113646 or No. 113647, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the **Invitation to Bid**. Except as where otherwise precluded by law, the Parish Attorney or his designee, with the concurrence of the Director of Risk Management or his designee, may agree on a case-by-case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date. Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

For bidding purposes, bidders must submit with bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name **the Jefferson Parish, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council** as additional insureds regarding negligence by the contractor for the Commercial General Liability and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

☑ **WORKER'S COMPENSATION INSURANCE**

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be $1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than $500,000 per occurrence.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. not a Louisiana company, sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being

rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

☑ **COMMERCIAL GENERAL LIABILITY**

Shall provide limits not less than the following: $1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

☑ **COMPREHENSIVE AUTOMOBILE LIABILITY**

Bodily injury liability $1,000,000.00 each person; $1,000,000.00 each occurrence. Property Damage Liability $1,000,000.00 each occurrence.

Note: This category may be omitted if bidders do not/will not utilize company vehicles for the project or do not possess company vehicles. Bidder must request an automobile insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DEDUCTIBLES - The Parish Attorney with concurrence of the Director of Risk Management have waived the deductible section of the Terms and Conditions for all Invitations to Bid, until further notice.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

The following are required if selected below. Such insurance is due upon contract execution.

☑ **OWNER'S PROTECTIVE LIABILITY**

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

☑ **BUILDER'S RISK INSURANCE**

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.

JEFFERSON PARISH
DEPARTMENT OF PURCHASING

CYNTHIA LEE SHENG
PARISH PRESIDENT

RENNY SIMNO
DIRECTOR

September 2020

Changes to Jefferson Parish Bidding Information

The Jefferson Parish Purchasing Department would like to make vendors aware of the following changes:

Total Bid Price Must Include the Cost of Naming Jefferson Parish as Additional Insured: Bidder acknowledges that Bidder recovered the cost of any required insurance in the contract price as required by La.R.S. 9:2780.1 and that Bidder recovered any such cost for the purposes of insuring an obligation to indemnify Jefferson Parish, defend Jefferson Parish, or hold Jefferson Parish harmless and that Bidder's indemnity liability is limited to the amount of the proceeds that are payable under the insurance policy or policies that Bidder has obtained.

Electronic Procurement: Beginning November 1, 2020, Jefferson Parish will no longer accept manual bid submissions; and will only accept bid submissions electronically via our e-Procurement system, Central Bidding. Central Bidding can be accessed by visiting either www.centralbidding.com or www.jeffparishbids.net. All bidders will be required to register with Central Bidding. Jefferson Parish vendors are able to register for free by accessing the following link: https://www.centralauctionhouse.com/registration.php.

Probable Construction Cost: Per Jefferson Parish Administrative Policy, the probable construction cost is not revealed in the Jefferson Parish Bidding Documents. Jefferson Parish Administrative Policy has changed and a range of the probable construction cost will be stated in the Jefferson Parish bidding document, entitled Important Notice to All Bidders – Bid Requirements. Per Louisiana Public Bid Law, the probable construction cost will be read at the bid opening.

Insurance Requirement: All bidders must provide proof of valid insurance in the required amounts as stated in the Standard Insurance Requirements for bidding purposes. Failure to provide the proof of valid insurance in all of the required coverage amounts will result in bid rejection.

GENERAL GOVERNMENT BLDG. – 200 DERBIGNY ST., SUITE 4400, GRETNA, LA 70053
OFFICE 504.364.2678

JOSEPH S. YENNI BLDG. – 1221 ELMWOOD PARK BLVD., SUITE 404, JEFFERSON, LA 70123
OFFICE 504.364.2678
EMAIL: PURCHASING@JEFFPARISH.NET WEBSITE: WWW.JEFFPARISH.NET