

Approved Materials List



| Product Category : Timber | | | |
|--|--------------------|---|-----------------|
| MATERIAL : 1014M00105 Timber, Douglas Fir Treated | | | |
| | | | |
| APS00012790 — Arnold Forest Products - (Greenwood)Shreveport, LA 10818 Providence Road Shreveport, LA 71129 | | Phone : 318-925-6903 Fax : | Ext. # : |
| <u>Product</u> | <u>Approved On</u> | <u>Remarks</u> | |
| DouglasFirTrtd Arnold Forest Products | 5-25-2017 | Approved Treatment: CCA (Chromated Copper Arsenate) | |
| APS00012810 — Carpenters Pile & Poling, LLC - Picayune, MS 1900 Rosa Street Picayune, MS 39466 | | Phone : 601-749-7140 Fax : | Ext. # : |
| <u>Product</u> | <u>Approved On</u> | <u>Remarks</u> | |
| DouglasFirTrtd Carptrs Pile amd Poling | 5-25-2017 | Approved Treatment: Number 1 Creosote, Creosote Coal Tar, Penta (Penta Chlorophenol), CCA (Chromated Copper Arsenate) | |
| APS00012800 — Carpenters Pole & Piling Co. - Wiggins, MS P. O . Box 758 North Magnolia Drive Wiggins, MS 39577 | | Phone : 601-928-7026 Fax : | Ext. # : |
| <u>Product</u> | <u>Approved On</u> | <u>Remarks</u> | |
| DouglasFirTrtd Carptrs Pole and Piling | 5-25-2017 | Approved Treatment: CCA (Chromated Copper Arsenate) | |
| APS00012830 — DeSoto Treated Materials - Wiggins, MS Old Hwy 49 State Rouge 29 South Wiggins, MS 39577 | | Phone : 601-928-3921 Fax : | Ext. # : |
| <u>Product</u> | <u>Approved On</u> | <u>Remarks</u> | |
| DouglasFirTrtd Desoto Treated Matls | 5-25-2017 | Approved Treatment: CCA (Chromated Copper Arsenate) | |
| APS00012860 — Gordon Redd Preserving, Inc. - Brookhaven, MS 96 Sawmill Lane Brookhaven, MS 39601 | | Phone : 601-833-2311 Fax : | Ext. # : |
| <u>Product</u> | <u>Approved On</u> | <u>Remarks</u> | |
| DouglasFirTrtd GordonReddPreserving,Inc | 5-25-2017 | Approved Treatent: CCA (Chromated Copper Arsenate) | |
| APS00014600 — Stella Jones - Lufkin, TX P. O. Box 1207 Lufkin, TX 75902-1702 | | Phone : Fax : | Ext. # : |
| <u>Product</u> | <u>Approved On</u> | <u>Remarks</u> | |
| DouglasFirTrtd Stella Jones-Lufkin | 12-16-2020 | Approved Treatment: Number 1 Pure Creosote | |
| APS00014590 — Stella Jones - Noble, LA 10020 Highway 483 Converse, LA 71419 | | Phone : 318-471-5587 Fax : Contact : Josh Lewis | Ext. # : |
| <u>Product</u> | <u>Approved On</u> | <u>Remarks</u> | |
| DouglasFirTrtd Stella Jones Converse | 12-16-2016 | Approved Treatment: CCA (Chromated Copper Arsenate) | |

Product Category : Timber**MATERIAL : 1014M00105 Timber, Douglas Fir Treated****APS00014610 — Stella Jones - Pineville, LA**74 Wadley Street
Pineville, LA 71361-0231**Phone :****Ext. # :****Fax :**ProductApproved OnRemarks

DouglasFirTrtd Stella Jones-Pineville

12-16-2020

Approved Treatment: Number 1 Creosote, Creosote Coal Tar, Penra
(Penta Chlorophenol), CCA (Chromated Copper Arsenate).**MATERIAL : 1014M00135 Timber, StrlGluedLaminate, GLULAM Treated****APS00012790 — Arnold Forest Products - (Greenwood)Shreveport, LA**10818 Providence Road
Shreveport, LA 71129**Phone : 318-925-6903****Ext. # :****Fax :**ProductApproved OnRemarks

GLULAM Trtd Arnold Forest Prod

5-25-2017

Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012810 — Carpenters Pile & Poling, LLC - Picayune, MS1900 Rosa Street
Picayune, MS 39466**Phone : 601-749-7140****Ext. # :****Fax :**ProductApproved OnRemarks

GLULAM Trtd Carptrs Pile amd Poling

5-25-2017

Approved Treatment: Number 1 Creosote, Creosote Coal Tar, Penta
(Penta Chlorophenol), CCA (Chromated Copper Arsenate)**APS00012800 — Carpenters Pole & Piling Co. - Wiggins, MS**P. O . Box 758
North Magnolia Drive
Wiggins, MS 39577**Phone : 601-928-7026****Ext. # :****Fax :**ProductApproved OnRemarks

GLULAM Trtd Carptrs Pole and Piling

5-25-2017

Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012830 — DeSoto Treated Materials - Wiggins, MSOld Hwy 49
State Rouge 29 South
Wiggins, MS 39577**Phone : 601-928-3921****Ext. # :****Fax :**ProductApproved OnRemarks

GLULAM Trtd Desoto Treated Matls

5-25-2017

Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012860 — Gordon Redd Preserving, Inc. - Brookhaven, MS96 Sawmill Lane
Brookhaven, MS 39601**Phone : 601-833-2311****Ext. # :****Fax :**ProductApproved OnRemarks

GLULAM Trtd Gordon Redd Preserving, Inc

5-25-2017

Approved Treatment; CCA (Chromated Copper Arsenate)

APS00014590 — Stella Jones - Noble, LA10020 Highway 483
Converse, LA 71419**Phone : 318-471-5587****Ext. # :****Fax :****Contact : Josh Lewis**ProductApproved OnRemarks

GLULAM Trtd Stella Jones Converse

12-16-2016

Approved Treatment: CCA (Chromated Copper Arsenate)

APS00014610 — Stella Jones - Pineville, LA74 Wadley Street
Pineville, LA 71361-0231**Phone :****Ext. # :****Fax :**ProductApproved OnRemarks

GLULAM Trtd Stella Jones-Pineville

12-16-2020

Approved Treatment: CCA (Chromated Copper Arsenate)

Product Category : Timber**MATERIAL : 1014M00165 Timber, Southern Pine, Treated**

APS00012790 — Arnold Forest Products - (Greenwood)Shreveport, LA **Phone : 318-925-6903** **Ext. # :**
10818 Providence Road **Fax :**
Shreveport, LA 71129

Product Approved On Remarks
SouthernPineTrtd Arnold Forest Products 5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012810 — Carpenters Pile & Poling, LLC - Picayune, MS **Phone : 601-749-7140** **Ext. # :**
1900 Rosa Street **Fax :**
Picayune, MS 39466

Product Approved On Remarks
SouthernPineTrtd Carptrs Pile and Poling 5-25-2017 Approved Treatment: Number 1 Creosote, Creosote Coal Tar, Penta (Penta Chlorophenol), CCA (Chromated Copper Arsenate)

APS00012800 — Carpenters Pole & Piling Co. - Wiggins, MS **Phone : 601-928-7026** **Ext. # :**
P. O . Box 758 **Fax :**
North Magnolia Drive
Wiggins, MS 39577

Product Approved On Remarks
SouthernPineTrtd Carptrs Pole and Piling 5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012830 — DeSoto Treated Materials - Wiggins, MS **Phone : 601-928-3921** **Ext. # :**
Old Hwy 49 **Fax :**
State Rouge 29 South
Wiggins, MS 39577

Product Approved On Remarks
SouthernPineTrtd Desoto Treated Matls 5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00012860 — Gordon Redd Preserving, Inc. - Brookhaven, MS **Phone : 601-833-2311** **Ext. # :**
96 Sawmill Lane **Fax :**
Brookhaven, MS 39601

Product Approved On Remarks
SouthernPineTrtd Gordon Redd Preserving 5-25-2017 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00014600 — Stella Jones - Lufkin, TX **Phone :** **Ext. # :**
P. O. Box 1207 **Fax :**
Lufkin, TX 75902-1702

Product Approved On Remarks
SSouthernPineTrtd Stella Jones-Lufkin 12-16-2020 Approved Treatment: Number 1 Pure Creosote

APS00014590 — Stella Jones - Noble, LA **Phone : 318-471-5587** **Ext. # :**
10020 Highway 483 **Fax :**
Converse, LA 71419 **Contact : Josh Lewis**

Product Approved On Remarks
SouthernPineTrtd Stella Jones Converse 12-16-2016 Approved Treatment: CCA (Chromated Copper Arsenate)

APS00014610 — Stella Jones - Pineville, LA **Phone :** **Ext. # :**
74 Wadley Street **Fax :**
Pineville, LA 71361-0231

Product Approved On Remarks
SouthernPineTrtd Stella Jones-Pineville 12-16-2020 Approved Treatment: CCA (Chromated Copper Arsenate)

MATERIAL : 1014M00430 Timber Preserv, ChromatedCopperArsenate

Product Category : Timber**MATERIAL : 1014M00430 Timber Preserv, ChromatedCopperArsenate****APS00014460 — S. I. Storey Lumber Company, Inc - Armuchee,GAS. I****Phone : 706-331-1605****Ext. # :**

285 Sike Storey Road

Fax :

Armuchee, GA 30105

Contact : Charles Coleman**Additional Info :** Mailing Address: P. O. Box 99, Armuchee, GA 30105ProductApproved On Remarks

Chromated Copper Arsenate - S.I.Storey

7-31-2020