

Attachment C – Specifications

RFX No. 3000017595

TITLE: Correctional Officer Uniforms for DOC-PE

SPECIFICATIONS

ITEM 1

LIGHTWEIGHT TACTICAL TROUSER

BRAND: Men's Propper Style Number- F5252-50 (Lightweight Tactical Trousers)
Women's Propper Style Number - F5295-50 (Lightweight Tactical Trousers)

TROUSER COLORS: Black, Grey, Coyote, LAPD Navy, Khaki, Olive, Charcoal Grey and Sheriff Brown

FABRIC: 6.5 oz. per yard - 65/35 Poly/Cotton Ripstop, to eliminate shrinkage, treated with Dupont Teflon for stain resistance and color retention. Material must be both fade and wrinkle resistant.

STYLE: The pant shall incorporate a pleated front and two ¼ top pockets, two rear pockets, secured with hook and loop, straight across, (slanted slash rear pockets will not be acceptable), as well as two full sized inverted pleated cargo pockets (one on each leg located below the front pocket). Other pockets include one small cell phone/magazine pocket (on the front of the pant on top of the front pocket) and two hidden coin pockets. The coin pockets are to be located inside of the front pockets. There shall be no loose straps, which could get caught on objects during a tactical situation.

Pockets shall all be secured with double needle construction. Cargo pockets shall have mitered pocket flaps and must be lined with garment standard test (OST*) pella that is used in US Military Garments. Pockets shall be secured with hook and loop.

Trousers will be a nine-pocket design. Two internal knee pad openings for tactical duty and training and heavy duty reinforced seat and knee. Inside each of the two rear pockets there shall be an additional wallet pocket. Front pockets shall be reinforced to prevent ripping and fraying.

BELT LOOPS: Belt loops shall be keystone style and have a minimum opening of 2". There must be a minimum of five belt loops at the waist, 2 in front and 3 in back. There is a Brass D ring at the bottom of the right front belt loop.

WAISTBAND: The action stretch waistband will be made with 1 - ½" wide elastic on each side of the waistband, allowing the waist to expand up to 3.5" in circumference. The waistband shall be closed with a PROPPER or equal snap cover and crush-proof hook and eye, or brass crimped nipple snap. The waistband shall be top and bottom-stitched for increased strength and to prevent rollover.

ZIPPER: Zippers to be self-repairing YKK or equal brass.

LABELING: Trousers must have a care label size label, fiber content label permanently attached to the garment.

CARE INSTRUCTIONS: Machine wash cold. Tumble dry low, warm iron. Do not dry clean.

Attachment C – Specifications

RFX No. 3000017595

TITLE: Correctional Officer Uniforms for DOC-PE

SIZES FOR MEN: To be sizes (standard sizes 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54 and 56) all sizes shall be finished in the following inseam sizes (30, 32, 34 and 36) except for (sizes 28, 46, 48, 50, 52 and 54) which are to be provided in open unfinished lengths.

SIZES FOR WOMEN: To be available in even sizes 2 through 24; all sizes come with an unfinished 36.5" inseam. (Colors: Black, Khaki, Olive, Dark Navy)

All measurements are approximate and "based" on size 34. All other sizes are graded from these measurements according to size.

Attachment C – Specifications

RFX No. 3000017595

TITLE: Correctional Officer Uniforms for DOC-PE

ITEM 2

SHORT SLEEVE ZIPPER LIGHTWEIGHT TACTICAL SHIRTS

BRAND: Men's Propper F5311-50
Women's Propper F5304-50

FABRIC: 4 oz. per yard- 65/35 Poly/Cotton Ripstop, to eliminate shrinkage, and reduce post- laundering wrinkle, treated with Dupont Teflon for stain resistance and color retention. Material must be both fade and wrinkle resistant.

COLORS: Black, Grey, Coyote, LAPD Navy, Khaki, Olive, Charcoal Grey, White and Sheriff Brown

STYLE: Short sleeve permanent press men's shirt with concealed zipper front and gusseted underarm. Longer tail in back to keep the shirt tucked in. Hidden zipper front (mock button-up). Each shirt to include the optional two eyelet badge tab which will be sewn on by Department of Public Safety and Corrections (DPS&C).

COLLAR: Shirt to have hidden buttons under collar stand.

SHOULDER EPAULETS: Shirt to include shoulder epaulets with one button closure (on the end next to the collar). Straps to be sewn down at the sleeve. Straps to be stitched to shoulder forming an "X". Buttons attached to shoulder to match strap buttons.

POCKETS: Two zippered chest pockets. Two box-pleated chest pockets with hook and loop closure with pen slots.

FRONT: The front shall have a lined top center placket, extending from collar stand to bottom of shirt. Zipper to be concealed with the stitch to be concealed under the center strip. Front to have 7 buttons and buttonholes.

ZIPPER: To be YKK nylon separating zipper with nylon coil, matching binder seam, coordinating color for all components. All molded plastic.

BACK: To have double yoke.

BUTTONS: Buttons will be of first quality in a matching or coordinated color, to withstand excess wear and laundering. 4-hole style.

SIZES FOR MEN: Regular sizes XS, S, M, L, XL, 2XL, 3XL and 4XL.

SIZES FOR WOMEN: Regular sizes S, M, L and XL (Colors: Black and LAPD Navy)

CARE INSTRUCTIONS: Machine wash cold. Tumble dry low, warm iron. Do not dry clean.

Attachment C – Specifications

RFX No. 3000017595

TITLE: Correctional Officer Uniforms for DOC-PE

ITEM 3

LONG SLEEVE ZIPPER LIGHTWEIGHT TACTICAL SHIRTS

BRAND: Men's Propper F5312-50
Women's Propper F5305-50

FABRIC: 4 oz. per yard- 65/35 Poly/Cotton Ripstop, to eliminate shrinkage, and reduce post- laundering wrinkle, treated with Dupont Teflon for stain resistance and color retention. Material must be both fade and wrinkle resistant.

COLORS: Black, Grey, Coyote, LAPD Navy, Khaki, Olive, Charcoal Grey, White and Sheriff Brown

STYLE: Short sleeve permanent press men's shirt with concealed zipper front and gusseted underarm. Longer tail in back to keep the shirt tucked in. Hidden zipper front (mock button-up). Each shirt to include the optional two eyelet badge tab which will be sewn on by DPS&C.

COLLAR: Shirt to have hidden buttons under collar stand.

SHOULDER EPAULETS: Shirt to include shoulder epaulets with one button closure (on the end next to the collar). Straps to be sewn down at the sleeve. Straps to be stitched to shoulder forming an "X". Buttons attached to shoulder to match strap buttons.

POCKETS: Two zippered chest pockets. Two box-pleated chest pockets with hook and loop closure with pen slots.

FRONT: The front shall have a lined top center placket, extending from collar stand to bottom of shirt. Zipper to be concealed with the stitch to be concealed under the center strip. Front to have 7 buttons and buttonholes.

ZIPPER: To be YKK nylon separating zipper with nylon coil, matching binder seam, coordinating color for all components. All molded plastic.

BUTTONS: Buttons will be of first quality in a matching or coordinated color, to withstand excess wear and laundering. 4-hole style.

BACK: To have double yoke.

SIZES FOR MEN: Regular sizes XS, S, M, L, XL, 2XL, 3XL and 4XL; Long sizes S, M, L, XL, 2XL and 3XL

SIZES FOR WOMEN: Regular sizes S, M, L and XL (Colors: Black and LAPD Navy)

CARE INSTRUCTIONS: Machine wash cold. Tumble dry low, warm iron. Do not dry clean.

Attachment C – Specifications

RFX No. 3000017595

TITLE: Correctional Officer Uniforms for DOC-PE

ITEM 4
SHORT SLEEVE ICE PERFORMANCE POLO SHIRT

BRAND: Men's Proper ICE Performance Polo Style# F5341-72

DESIGN: 3 button placket, self-fabric button down collar, sleeve and bodice underarm gussets, 2 mic-clips, pen/pencil pocket and 1 sunglass clip on placket.

SHELL FABRIC: The body fabric shall be a minimum 94% POLYESTER (Coolon Fiber)/minimum 6% SPANDEX INTERLOCK. Moisture Wicking and Anti-Wrinkle performance are in the fiber.

Minimum performance standards including:

AATCC 8 Crocking (must pass 4 dry crock & 2 wet crock)

AATCC 15 Perspiration

AATCC 100 50 Home Laundry (staph testing for stain & odor)

AATCC 150 Shrinkage+ or minus 5%/143 appearance

ASTM 2594 Stretch & Recovery ASTM 3776 Fabric Weight ASTM 3786 Bursting Strength

INSIDE BACK NECK ½ MOON PATCH & UNDER ARM GUSSETS

Accent fabric shall be 100% POLYESTER MESH

Polyester 75/72 25x46 176gm/m². Moisture Wicking in the fiber.

COLLAR: The collar points shall have a height of 2 ¾" from center front to top edge and be made of two plies of shell material plus an interlining. The collar points shall be well shaped and symmetrical. Under collar has a button down feature that keeps the collar from curling (hidden collar stand).

FRONT PLACKET: The front placket measures 1 ½" x 6 ½" and includes light weight interfacing to stabilize layers in both front and back placket. The placket is single needle stitched 1/6" around all edges of front and back. The placket has 3 button openings with top button hole horizontal and placed on the collar stand, 2nd and 3rd to be vertical on placket. Closure is with approximately 20 ligne melamine buttons.

POCKETS: There are 2 pen pockets forward of center on wearers left sleeve. Both pockets are sewn and finished side by side, approximately 2" x 6". The pockets are double welt opening and bar tacked in center to divide both pen/pencil pockets for reinforcement.

MIC CLIPS: There are 2 Mic-Clip welt pockets, one on each shoulder seam 2 ¾" from neckline and one Mic-Clip loop at bottom of front placket.

SIDE VENTS: Back length is 1 ½" longer than front. Inside seams are clean finish in self fabric.

Size large back length is 31" from neck seam to hem; center front length is 27" from top of collar stand to hem. All sizes will be graded appropriately.

Attachment C – Specifications

RFX No. 3000017595

TITLE: Correctional Officer Uniforms for DOC-PE

SLEEVES: The sleeves shall be short sleeve. The underarm shall have an action armhole gusset, using 100% polyester mesh fabrication which extends into the bodice to provide for excellent ventilation and full range of motion. The hem shall be designed with 1" clean finish using ¼" double needle top stitch.

BUTTONS: The placket has 20 ligne dyed to match melamine buttons. Under collar button shall be 14 ligne. All buttons to be sewn with the "X" stitch for reinforcement.

STITCHING REINFORCEMENT: The bottom placket mic tab, side vents and pen pockets shall be bar tacked at high stress areas.

SIZE AND TAG: Polo shall have a tagless size and care instruction label printed into the center back just below the collar stand.

SIZES FOR MEN: XS, S, M, L, XL, 2XL, 3XL, 4XL and 5XL

SIZES FOR WOMEN: X, M, Land XL

COLORS: White, Grey, LAPD Navy, Red, Black, Dark Green, Silver Tan

Attachment C – Specifications

RFX No. 3000017595

TITLE: Correctional Officer Uniforms for DOC-PE

ITEM 5

BDU - BATTLE DRESS UNIFORM TROUSER

BRAND: Propper Style F5205-38 Zipper Fly
 Propper Style F5201-38 Button Fly

FABRIC: To be Battle Rip (or equal) 65% polyester and 35% cotton Ripstop Weight: 6.5 oz./sq. yd.
Construction: 105 x 48
Yam Size: 20 RS x 12.50 OE Tear: 9.5 x 120
Crocking Dry: 4.0
Crocking Wet: 3.0 Colorfastness to Light: 4 Shrinkage: 2.5%

POCKETS: Two front slash pockets, two rear insert pockets with 30 ligne garment standard test (GST) covered buttons and fused button down flaps. Two partial bellows pockets each let, with 3 pleat cargo (GST) with finished eyelet drain holes and size 30 ligne (GST) covered buttons with fused button down flaps.

SEAMS: All seams I 0-12 stitches per inch. Inseam, outseam, and seatseam must be two needle felled construction. All seam settings must be accomplished with no "pucking" in the seam panel.

Side adjustment tabs shall consist of one each side, minimum of 2" adjust each side (GST) 100% cotton with black buckles, black enamel finish per US Military specification (MIL-T-44047E). All side adjustments tabs must have four bar tacks per tab for durability.

FLY: The trousers shall be closed with a #5 YKK brass tooth and pull zipper and have a brass bottom stop at the base of the zipper chain. The fly shall have J stitching 2 inches from fly edge. Top fly shall be edge stitched 1/16-1/8 inch.

BELT LOOPS: Belt loops shall be of double fabric thickness, butted on reverse side and blind stitched minimum of 7/16 wide by minimum 2" long per US Military Specifications (MIL-T- 44047E).

SIZE LABEL: The size label is located in the waistband near the center back, sewn under the waistband. In addition the care label, located on the right rear pocket bag with four sides sewn down must include laundering instructions.

SIZES: S through 4XL with the inseam of short, regular and long. Custom sizing to be available for larger sizes.

COLORS FOR ZIPPER FLY: Black and LAPD Navy

COLORS FOR BUTTON FLY: Black, Grey, Dark Grey, Sheriffs Brown, Khaki, Olive, Dark Navy, A-TACS FG Camo and A-TACS AU Camo

Attachment C – Specifications

RFX No. 3000017595

TITLE: Correctional Officer Uniforms for DOC-PE

ITEM 6

ADULT FLEXIBLE FIT POLY-COTTON MESH CAP

BRAND: Spiewak

COLORS: Navy, Black, Brown, Dark Navy, Red, Royal and White

DESCRIPTION: Mesh Cotton Twill Trucker Cap. Stretchable polyester mesh spandex side and back, comfort fit design, 6 panel, mid-profile, hard buckram with silver under visor. Stretches to fit a wide variety of head sizes.

BRIM: 3" wide straight flat set. Two separate brims joined for extra strength and shape retention. Brims are sewn together. Heavily stiffened and shower proofed.

CROWN EYELETS: One eyelet on each of the two panels directly above the brim.

MATERIAL: 55% Polyester 43% Cotton and 2% Spandex

SIZES: OSFA (6 7/8" - 7 1/2") One size fits all

ITEM 7

NYLON DUTY BELT

BRAND: Proper Style Number - F5603-75; Must match Proper trousers
Spiewak Belt; Must match Spiewak trousers

COLORS: Black, Olive, Khaki and Coyote

STYLE: 100% nylon duty belt with molded plastic belt buckle. Belt is to have an adjustable waist. Belt width is 1.5 inches.

SIZES: To be available in the following sizes (28 - 30, 32 - 34, 36 - 38, 40 - 42, 44 - 46, 48 - 50, 52 - 54 and 56 - 58)

Attachment C – Specifications

RFX No. 3000017595

TITLE: Correctional Officer Uniforms for DOC-PE

ITEM 8

**LOUISIANA DEPARTMENT OF PUBLIC SAFETY AND
CORRECTIONS EMBLEM (Sold Loose)**

DESCRIPTION: Department of Corrections Insignia. 3 ½" x 4 ½". Emblem with background to be Scarlet (Red) polyester and cotton twill. Lettering and outside border to be Midnight Blue. State Seal, Lettering Border and Small Pelicans to be silver or white thread. Large Pelican and Nest to be yellow or gold thread. All materials to be first quality and color fast.

ITEM 9

UNIT INSIGNIA (Sold Loose)

DESCRIPTION: Unit Insignia. ¾" x 3" tab with background material to be Scarlet (Red) polyester and cotton twill. Lettering and outside border to be Midnight Blue. Lettering to be specified by unit.

\

Attachment C – Specifications

RFX No. 3000017595

TITLE: Correctional Officer Uniforms for DOC-PE

**ITEM 10
LOUISIANA CORRECTIONS BDU UNIFORM TROUSER**

- Model:** SPIEWAK SBDU30 (NO SUBSTITUTES)
- Sizes:** 28-38 all, 40-60 even only (Men's), 6-24 (Women's) Finished Unhemmed 32-42 even only, hemmed lengths available 30, 32, 34
- Color:** Midnight Navy
- Fabric:** Fabric with VAT DYE, WICKING, & WRINKLE RESISTANCE
68P/32C, (48% POLYESTER 32% COTTON 20% ELASTERELL-P WITH SORONA)
Four Way Stretch, Dobby Rip-Stop, 6.5 OZ / 222gsm, 54" CW.
- Style:** Trousers to be a BDU style trousers with a tailored split seam construction and SRS Shirt Retention System® for dress appearance.
- Front Closure:** Zipper front, with 24 ligne top snap at center front waistband. This snap shall bare the logo of the Manufacturer in order to identify make and model of the garment.
- Zipper:** The trousers shall be closed with a #5 YKK nylon coil auto-lock zipper and have a metal bottom stop at the base of the zipper chain. A straight bar tack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. The bar tack shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bar tack located towards the bottom zipper stop.
- Pockets:** The trousers shall have two quarter top pockets squared at the bottom opening for clip attachment. There shall also be two BDU style side cargo pockets with asymmetrical flaps with power hook and loop closure. The side cargo pockets shall have two internal pockets with elastic openings. There shall also be two rear welted pockets placed between the rear pockets and the side cargo pockets 4" wide by 8" deep. There shall be two back pockets with asymmetrical flaps with power hook and loop closure.
- Pocketing:** All pocketing shall be heavy-duty cotton pocketing. The outside waistband and inside waist band facing shall be made with shell fabric. The bottom edge of the inside waistband curtain shall be bound by pocketing material cut on the bias.
- Waistband:** The waistband design shall allow for 2" of mechanical expansion through two unique double waistband panels with 2" height elastic built-in. The elastic shall begin at the outseam and extend 4" (stretched) toward the back waistband on each side. The elastic shall remain concealed even when the waistband is stretched to its maximum length.

Attachment C – Specifications

RFX No. 3000017595

TITLE: Correctional Officer Uniforms for DOC-PE

Shirt Retention System:

The Shirt Retention System (SRS™) shall be achieved through a waistband curtain to contain a 7/8” wide tape with two rows of Snugtex sewn in the middle of the inside waist band, designed to work with the corresponding tabs on the shirt, for maximum shirt retention.

Belt Loops:

There should be a minimum of 5 belt loops on waist sizes 28, 29, 30, and a minimum of 7 belt loops on sizes over 30. Each loop is to be 7/8” wide of double thickness. All belt loops shall be inserted into the bottom seam of the waistband and bartacked at the top.

Thread:

The entire trouser is to be sewn with Polyester core or 100% Polyester spun thread

Labels:

The trouser shall have a sewn-in label giving care instructions, size, fiber content, and lot number.

Care Instructions:

Dry Clean or Machine wash in warm water using gentle cycle. Wash dark colors separately and rinse thoroughly. Do not use fabric softeners. If needed, only use non-chlorine bleach. Tumble-dry completely at low heat and remove promptly. If necessary, use steam iron, low setting.

Attachment C – Specifications

RFX No. 3000017595

TITLE: Correctional Officer Uniforms for DOC-PE

**ITEM 11
LOUISIANA CORRECTIONS BDU SHORT SLEEVE UNIFORM SHIRT**

- Model:** SPIEWAK SBDU10 (NO SUBSTITUTES)
- Sizes:** XS-5XL Unisex Sizing
- Color:** Midnight Navy
- Fabric:** Fabric with VAT DYE, WICKING, & WRINKLE RESISTANCE, 68P/32C, (50% POLYESTER 32% COTTON 18% ELASTERELL-P WITH SORONA) 4 Way Stretch, Dobby Rip-Stop, 4.5 OZ / 153gsm, 50" CW.
- Style:** Shirt to be a unisex short sleeve uniform shirt with convertible collar. It shall have two-piece sleeve construction, with a mic tab on the center front placket, and a wire opening on the left side seam. It shall feature a bi-swing back, SRS shirt retention system®, and hidden button down collar.
- Pockets:** There shall be two front upper BDU style patch pockets with asymmetrical flaps with power hook and loop closure. There shall be a single hidden zippered notebook pocket concealed under the front placket.
- Front Closure:** The shirt shall close with a hidden zipper front and one top functional button and two snaps (one above and one below the zipper) on the center front placket.
- Shirt Retention System:**
The Shirt Retention System (SRS™) shall be achieved through 4 strips 3½" long x 7/8" wide each with two rows of rubberized Snugtex, sewn into the shirt 1½" up from the bottom and ¾" from the center front and center back, designed to work with the corresponding pant waistband for maximum shirt retention.
- Buttons:** Buttons are to be 22 ligne corresponding to the color of the shell garment. The hidden button down collar shall have two 14 ligne buttons.
- Nameplate:** There shall be a velcro loop nameplate tab 1" high covering the width of the right chest pocket flap, placed ¼" above top flap edge. There shall be corresponding embroidered nameplate strips backed by velcro hook that attach to the nameplate tab.
- Mic Tab:** There shall be a mic tab on the center front placket positioned in line with the top of the pocket flaps, approximately 1" wide and 2" long.
- Epaulets:** Epaulets shall be stitched down with a box stitch at the shoulder head, tapering loose with a stitched down arrow end at the shoulder near neck seam, with double needle top stitching along the epaulet edges, for durability and professional appearance.

Attachment C – Specifications

RFX No. 3000017595

TITLE: Correctional Officer Uniforms for DOC-PE

Side Panels: There shall be fine stretch dyed to match knit mesh side panels and fine stretch dyed to match knit mesh underarm sleeve panels.

Bi-Swing Back:

There shall also be fine stretch dyed to match knit mesh in the bi-swing back at the armholes.

Yoke: There shall be a back yoke made of shell fabric 3½” high from the center back neck seam lined with fine stretch dyed to match knit mesh inside.

Care Instructions:

Dry Clean or Machine wash in warm water using gentle cycle. Wash dark colors separately and rinse thoroughly. Do not use fabric softeners. If needed, only use non-chlorine bleach. Tumble-dry completely at low heat and remove promptly. If necessary, use steam iron, low setting.

Attachment C – Specifications

RFX No. 3000017595

TITLE: Correctional Officer Uniforms for DOC-PE

ITEM 12

LOUISIANA CORRECTIONS BDU LONG SLEEVE UNIFORM SHIRT

- Model:** SPIEWAK SBDU15 (NO SUBSTITUTES)
- Sizes:** XS-L (Short), S-3XL (Regular), M-3XL (Long) Unisex Sizing
- Color:** Midnight Navy
- Fabric:** Fabric with VAT DYE, WICKING, & WRINKLE RESISTANCE, 68P/32C, (50% POLYESTER 32% COTTON 18% ELASTERELL-P WITH SORONA) 4 Way Stretch, Dobby Rip-Stop, 4.5 OZ / 153gsm, 50" CW.
- Style:** Shirt to be a unisex long sleeve uniform shirt with convertible collar. It shall have two-piece sleeve construction, with a mic tab on the center front placket, and a wire opening on the left side seam. It shall feature a bi-swing back, SRS shirt retention system®, and hidden button down collar.
- Pockets:** There shall be two front upper BDU style patch pockets with asymmetrical flaps with power hook and loop closure. There shall be a single hidden zippered notebook pocket concealed under the front placket.
- Front Closure:** The shirt shall close with a hidden zipper front and one top functional button and two snaps (one above and one below the zipper) on the center front placket.
- Shirt Retention System:**
The Shirt Retention System (SRS™) shall be achieved through 4 strips 3½" long x 7/8" wide each with two rows of rubberized Snugtex, sewn into the shirt 1½" up from the bottom and ¾" from the center front and center back, designed to work with the corresponding pant waistband for maximum shirt retention.
- Buttons:** Buttons are to be 22 ligne corresponding to the color of the shell garment. The hidden button down collar shall have two 14 ligne buttons.
- Nameplate:** There shall be a velcro loop nameplate tab 1" high covering the width of the right chest pocket flap, placed ¼" above top flap edge. There shall be corresponding embroidered nameplate strips backed by velcro hook that attach to the nameplate tab.
- Mic Tab:** There shall be a mic tab on the center front placket positioned in line with the top of the pocket flaps, approximately 1" wide and 2" long.
- Epaulets:** Epaulets shall be stitched down with a box stitch at the shoulder head, tapering loose with a stitched down arrow end at the shoulder near neck seam, with double needle top stitching along the epaulet edges, for durability and professional appearance.

Attachment C – Specifications

RFX No. 3000017595

TITLE: Correctional Officer Uniforms for DOC-PE

Side Panels: There shall be fine stretch dyed to match knit mesh side panels and fine stretch dyed to match knit mesh underarm sleeve panels.

Bi-Swing Back:

There shall also be fine stretch dyed to match knit mesh in the biswing back at the armholes.

Yoke: There shall be a back yoke made of shell fabric 3½“ high from the center back neck seam lined with fine stretch dyed to match knit mesh inside.

Care Instructions:

Dry Clean or Machine wash in warm water using gentle cycle. Wash dark colors separately and rinse thoroughly. Do not use fabric softeners. If needed, only use non-chlorine bleach. Tumble-dry completely at low heat and remove promptly. If necessary, use steam iron, low setting.