




**FILING: MOBILE, STATIONARY, & CANTILEVER
ATTACHMENT C – TYPICAL SCENARIOS
RFx # 3000019196
T# 92371**

Configuration Typical A



4-Post Stationary Storage Shelving

Component	Quantity
4-Post Upright, Closed "L", 15"D x 85 1/4"H	2
4-Post Upright, Closed "L", 18"D x 85 1/4"H	4
4-Post Upright, Closed "L", 24"D x 85 1/4"H	6
4-Post Upright, Closed "L", 30"D x 85 1/4"H	2
4-Post Upright, Closed "L", 36"D x 85 1/4"H	2
4-Post Upright, Open "T", 15"D x 85 1/4"H	2
4-Post Upright, Open "T", 18"D x 85 1/4"H	4
4-Post Upright, Open "T", 24"D x 85 1/4"H	6
4-Post Upright, Open "T", 30"D x 85 1/4"H	2
4-Post Upright, Open "T", 36"D x 85 1/4"H	2
4-Post 22-gauge Plain Shelf, 36"W x 15"D	3
4-Post 22-gauge Plain Shelf, 36"W x 18"D	6
4-Post 22-gauge Plain Shelf, 36"W x 24"D	9
4-Post 22-gauge Plain Shelf, 36"W x 30"D	3
4-Post 22-gauge Plain Shelf, 36"W x 36"D	3
4-Post 22-gauge Slotted Shelf, 36"W x 15"D	18
4-Post 22-gauge Slotted Shelf, 36"W x 18"D	36
4-Post 22-gauge Slotted Shelf, 36"W x 24"D	54
4-Post 22-gauge Slotted Shelf, 36"W x 30"D	18
4-Post 22-gauge Slotted Shelf, 36"W x 36"D	18
Shelf Support, 36"W	336
Shelf Reinforcement, 24"D	54
Shelf Reinforcement, 30"D	36
Shelf Reinforcement, 36"D	54
Back Stop, 36"W	108
Center Stop, 36"W	36
Clothes Pins (To connect back-to-back shelving)	8
Front Base, 36"W x approximately 2"H	30

Typical A - 4-Post Stationary Storage Shelving



Typical A - 4-Post Stationary Storage Shelving




Shelf Spacing Dimensions are "On Center" Dimensions
-F = Front Face of Double Face Shelving Section
-B = Back Face of Double Face Shelving Section

Configuration Typical B


Case-Type Stationary Shelving

Component	Quantity
Case Upright, "L", 15"D x 88 1/4"H	4
Case Upright, "L", 15"D x 88 1/4"H	8
Case Upright, "L", 15"D x 88 1/4"H	12
Case Upright, "L", 15"D x 88 1/4"H	6
Case Plain Shelf, 34"W x 15"D	8
Case Plain Shelf, 34"W x 30"D	16
Case Slotted Shelf, 34"W x 15"D	64
Case Slotted Shelf, 34"W x 30"D	128
Shelf Support, 36"W	432
Shelf Reinforcement, 30"D	256
Back Stop 36"W	64
Center Stop, 36"W	128
File Divider, Legal Size	640
Front Base, 36"W x approximately 2"H	40
Rollout Reference Shelf, Single Face	2
Rollout Reference Shelf, Double Face	4

Typical B - Case Type Stationary Shelving



Typical B - Case Type Stationary Shelving



Shelf Spacing Dimensions are "On Center" Dimensions

-F = Front Face of Double Face Shelving Section


-B = Back Face of Double Face Shelving Section

Configuration Typical C


Cantilever Stationary Shelving

Component	Quantity
Cantilever Frame, 36"W x 84"H	24
Cantilever Plain Base Shelf, 36"W x 11"D	20
Cantilever Slotted Base Shelf, 36"W x 11"D	20
Cantilever Double Face Base Supports, 13"D	20
Cantilever Single Face Base Supports, Left, 13"D	8
Cantilever Single Face Base Supports, Right, 13"D	2
Cantilever Plain Adjustable Shelf, 36"W x 11"D	100
Cantilever Slotted Adjustable Shelf, 36"W x 11"D	100
Cantilever Base Shelf Filler, 36"W	24
Cantilever Double Face Canopy Top, 24"D	16
Cantilever Single Face Canopy Top, 13"D	8
File Dividers for 11"D Slotted Shelves	240
Cantilever Double Face Leveler Kits, 24"D Shelving	20
Snap-in Hanging Wire Book Support for 11"D Shelves	120
Double End Panel Mounting Brackets, 24"D Shelving	8
Single End Panel Mounting Brackets, Left, 13"D Shelving	2
Single End Panel Mounting Brackets, Right, 13"D Shelving	2
Back Stop, Full Height (approximately 6"H), Plain, 36"W	120
Back Stop, Full Height (approximately 6"H), Slotted, 36"W	120
Cantilever Single Face Leveler Kits, for 13"D Shelving	10
Laminate or Steel End Panel, 13"D x 84"H	4
Laminate or Steel End Panel, 24"D x 84"H	8

Typical C - Cantilever Stationary Shelving




Typical C - Cantilever Stationary Shelving



Shelf Spacing Dimensions are "Clear Opening" Dimensions

-F = Front Face of Double Face Shelving

-B = Back Face of Double Face Shelving




Configuration Typical D


Mechanical Assist/4-Post Shelving

Component	Quantity
Rail, 2 @ 16'2"L (rounded to 17'L each), per foot	34
Rail Skirt, per foot	9
Elevated Floor, per square foot	111
Ramp, 16'2"L (rounded to 17'L), per foot	17
Stationary Platforms, 9'Lx15"W	2
Mechanical Assist Carriages, 9'L x 30"W	4
Laminate or Steel End Panel, approximately 15"W x 82"H	2
Laminate or Steel End Panel, approximately 30"W x 82"H	4
4-Post Upright, Closed "L", 15"D x 76 1/4"H	4
4-Post Upright, Closed "L", 30"D x 76 1/4"H	8
4-Post Upright, Open "T", 15"D x 76 1/4"H	4
4-Post Upright, Open "T", 30"D x 76 1/4"H	8
4-Post Plain Shelf, 36"W x 15"D	6
4-Post Plain Shelf, 36"W x 30"D	12
4-Post Slotted Shelf, 36"W x 15"D	42
4-Post Slotted Shelf, 36"W x 30"D	84
Shelf Support, Double Rivet, 36"W	252
Shelf Support, Single Rivet, 36"W	36
Shelf Reinforcement, for Double Rivet Shelf Supports, 30"D	144
Shelf Reinforcement, for Single Rivet Shelf Supports, 30"D	24
4-Post Back Panel, 36"W x 76 1/4"H	3
Back Stop, 36"W	42
Center Stop, 36"W	84
File Divider, Legal Size	840
Back Holder or Stiffener, 36"W	3
Rollout Reference Shelf, Single Face	1
Rollout Reference Shelf, Double Face	2


Typical D - Mechanical Assist / 4-Post Shelving



Typical D - Mechanical Assist / 4-Post Shelving



Shelf Spacing Dimensions are "On Center" Dimensions
-F = Front Face of Double Face Shelving
-B = Back Face of Double Face Shelving




Configuration Typical E


Mechanical Assist/Case-Type Shelving

Component	Quantity
Rail, 3 @ 17'11"L (rounded to 18'L each), per foot	54
Elevated Floor, per square foot	176
Ramp, 17'11"L (rounded to 18'L), per foot	18
Stationary Platforms, 12'Lx12"W	2
Mechanical Assist Carriages, 12'L x 24"W	6
Laminate or Steel End Panel, approximately 12"W x 82"H	2
Laminate or Steel End Panel, approximately 24"W x 82"H	6
Case Upright, "L", 12"D x 76 1/4"H	4
Case Upright, "L", 24"D x 76 1/4"H	12
Case Upright, "T", 24"D x 76 1/4"H	18
Case Upright, "T", 12"D x 76 1/4"H	6
Case Plain Shelf, 34"W x 12"D	8
Case Plain Shelf, 34"W x 24"D	24
Case Slotted Shelf, 34"W x 12"D	56
Case Slotted Shelf, 34"W x 24"D	168
Shelf Support, Double Rivet, 36"W	448
Shelf Support, Single Rivet, 36"W	64
Shelf Reinforcement, for Double Rivet Shelf Supports, 24"D	144
Shelf Reinforcement, for Single Rivet Shelf Supports, 24"D	24
Case Back Panel, 36"W x 76 1/4"H	4
Back Stop, 36"W	56
Center Stop, 36"W	168
File Divider, Letter Size	784
Back Holder or Stiffener, 36"W	4
Rollout Reference Shelf, Single Face	2
Rollout Reference Shelf, Double Face	6


Typical E - Mechanical Assist / Case Type Shelving



Typical E - Mechanical Assist / Case Type Shelving



Shelf Spacing Dimensions are "On Center" Dimensions
 -F = Front Face of Double Face Shelving
 -B = Back Face of Double Face Shelving




Configuration Typical F

Electric/4-Post Shelving/Drawers & Hinged Doors


Component	Quantity
Rail, 3 @ 21' 3 1/2"L (rounded to 22'L each), per foot	66
Elevated Floor, per square foot	265
Ramp, 21' 3 1/2"L (rounded to 22'L), per foot	22
Stationary Platforms, 15'Lx12"W	1
Stationary Platforms, 15'Lx18"W	1
Electric Carriage, 15'L x 30"W	5
Electric Carriage, 15'Lx24"W	1
Safety Sweep (1 per aisle)	7
Carriage Bumper Extension, 1" (allowance for hinged doors)	2
Electric Safety System Override Key	1
Rechargeable Handheld or Onboard Power Override Unit	1
Laminate or Steel End Panel, approximately 12"W x 82"H	1
Laminate or Steel End Panel, approximately 18"W x 82"H	1
Laminate or Steel End Panel, approximately 24"W x 82"H	1
Laminate or Steel End Panel, approximately 30"W x 82"H	5
4-Post Upright, Closed "L", 12"D x 76 1/4"H	2
4-Post Upright, Closed "L", 18"D x 76 1/4"H	2
4-Post Upright, Closed "L", 24"D x 76 1/4"H	2
4-Post Upright, Closed "L", 30"D x 76 1/4"H	10
4-Post Upright, Open "T", 12"D x 76 1/4"H	4
4-Post Upright, Open "T", 18"D x 76 1/4"H	4
4-Post Upright, Open "T", 24"D x 76 1/4"H	4
4-Post Upright, Open "T", 30"D x 76 1/4"H	20
4-Post Plain Shelf, 36"W x 12"D	5
4-Post Plain Shelf, 36"W x 18"D	5
4-Post Plain Shelf, 36"W x 24"D	5
4-Post Plain Shelf, 36"W x 30"D	25
4-Post Slotted Shelf, 36"W x 12"D	25
4-Post Slotted Shelf, 36"W x 18"D	17
4-Post Slotted Shelf, 36"W x 24"D	25
4-Post Slotted Shelf, 36"W x 30"D	175
Shelf Support, Double Rivet, 36"W	494
Shelf Support, Single Rivet, 36"W	76
Shelf Reinforcement, approximately 3/4"H x 24"D	20
Shelf Reinforcement, approximately 1 1/4"H x 24"D	5
Shelf Reinforcement, approximately 3/4"H x 30"D	300
Shelf Reinforcement, approximately 1 1/4"H x 30"D	50
4-Post Back Panel, 36"W x 76 1/4"H	2
Back Stop, 36"W	30
Center Stop, 36"W	200

File Divider, Letter Size	300
File Divider, Legal Size	1400
Back Holder or Stiffener, 36"W	2
Rollout Reference Shelf, Single Face for 12"D Shelving	2
Rollout Reference Shelf, Double Face for 30"D Shelving	6
Rollout File Drawer, 36"W x 18"D x 12"H, Keyed Alike	8
Rollout Storage Drawer, 36"W x 18"D x 7 1/2"H, Keyed Alike	5
Lockable Hinged Door Units, 36"W x 76 1/4"H, Keyed Alike	2
Lockable Hinged Door Brackets Sets	2
File Drawer Adjustable Steel Dividers	24
Storage Drawer Adjustable Steel Dividers	15
Rollout Drawer Mounting Bracket Sets	13
Safety Interlock Mechanism Slotted Shelf, 36"W x 18"D	3

Typical F - Electric / 4-Post Shelving / Drawers & Hinged Doors



Typical F - Electric / 4-Post Shelving / Drawers & Hinged Doors




Configuration Typical G


Electric/Case-Type Shelving

Component	Quantity
Rail, 4 @ 13' 10 1/2"L (rounded to 14'L each), per foot	56
Elevated Floor, per square foot	205
Ramp, 13' 10 1/2"L (rounded to 14'L), per foot	14
Stationary Platforms, 18'Lx12"W	2
Electric Carriage, 18'L x 24"W	4
Safety Sweep (1 per aisle)	5
Electric Safety System Override Key	1
Rechargeable Handheld or Onboard Power Override Unit	1
Laminate or Steel End Panel, approximately 12"W x 82"H	2
Laminate or Steel End Panel, approximately 24"W x 82"H	4
Case Upright, "L", 12"D x 76 1/4"H	4
Case Upright, "L", 24"D x 76 1/4"H	8
Case Upright, "T", 24"D x 76 1/4"H	20
Case Upright, "T", 12"D x 76 1/4"H	10
Case Plain Shelf, 34"W x 12"D	12
Case Plain Shelf, 34"W x 24"D	24
Case Slotted Shelf, 34"W x 12"D	84
Case Slotted Shelf, 34"W x 24"D	168
Shelf Support, Double Rivet, 36"W	504
Shelf Support, Single Rivet, 36"W	72
Shelf Reinforcement, for Double Rivet Shelf Supports, 24"D	144
Shelf Reinforcement, for Single Rivet Shelf Supports, 24"D	24
Back Stop, 36"W	84
Center Stop, 36"W	168
File Divider, Letter Size	840
Rollout Reference Shelf, Single Face	3
Rollout Reference Shelf, Double Face	6


Typical G - Electric / Case Type Shelving



Typical G - Electric / Case Type Shelving



Shelf Spacing Dimensions are "Clear Opening" Dimensions
-F = Front Face of Double Face Shelving
-B = Back Face of Double Face Shelving



Stationary Shelving and Mobile System Symbol Key



4-Post / Case Type Single Face Stationary Shelving



4-Post / Case Type Double Face Stationary Shelving



Cantilever Single Face Stationary Shelving



Cantilever Double Face Stationary Shelving



Rollout Reference Shelves shown in shelving section



Stationary Platform



Mobile Carriage