



“RE-BUILDING THE CITY’S WATER SYSTEMS FOR THE 21ST CENTURY”

Sewerage & Water Board of NEW ORLEANS

625 ST. JOSEPH STREET
NEW ORLEANS, LA 70165 • 504-529-2837 OR 52-WATER
www.swbno.org

Addendum No. 7

Date: 1/10/2024

Your reference is directed to **Contract Number: 30260** for Carrollton Basin Sewer Rehabilitation No. 19 which is scheduled to open at **11:00 a.m. CST on January 17, 2024**, for SWBNO Civil Engineering Department.

This addendum provides for the following:

1. Revisions to Specifications

a. Section 01 22 00 Unit Prices, **REPLACE** with updated version included herein.

b. Davis Bacon Wages: **Replace** the previous issuance of Wage Rate Decisions in Attachment NO. 5 of the Supplementary Conditions with General Decision Number LA20230005 dated 01/05/2024 wage rate determinations included herein.

The above revisions shall be incorporated in and take precedence over any conflicting part of the original proposal documents. This addendum is hereby officially made a part of the referenced proposal.

Receipt of this addendum shall be acknowledged by inserting its number and date in the space provided in the Form of Proposal.

This addendum consists of one (1) page, with ten (16) attachments.

***** END OF ADDENDUM *****

SECTION 01 22 00 - UNIT PRICES

PART 1 - GENERAL

1.1 RELATED DOCUMENTS

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and other Division 01 Specification Sections, apply to this Section.

1.2 SUMMARY

- A. Section includes administrative and procedural requirements for unit prices.
- B. Related Requirements:
 - 1. Section 012600 "Contract Modification Procedures" for procedures for submitting and handling Change Orders.

1.3 DEFINITIONS

- A. Unit price is a price per unit of measurement for plant, labor, construction aids, utilities, pumping, mobilization, sewer flow control, materials, equipment, supplies or services, or a portion of the Work, added to or deducted from the Contract Sum by appropriate modification, if the scope of Work or estimated quantities of Work required by the Contract Documents are increased or decreased.

1.4 PROCEDURES

- A. Unit prices include all necessary material, plus cost for delivery, installation, insurance, overhead, profit, and all other incidentals.
- B. Measurement and Payment: See individual Specification Sections for work that requires establishment of unit prices. Methods of measurement and payment for unit prices are specified in those Sections.
- C. Owner reserves the right to reject Contractor's measurement of work-in-place that involves use of established unit prices and to have this work measured, at Owner's expense, by an independent surveyor.
- D. List of Unit Prices: A schedule of unit prices is included in Part 3 Execution. Specification Sections referenced in the schedule contain requirements for materials described under each unit price.
- E. For measuring progress toward Consent Decree Milestones, the percent complete will be calculated by dividing the value of work that has been completed and approved by the Engineer by the total bid amount for the milestone items, for **pay items 17 through 27 and 35 through 55**.

PART 2 - PRODUCTS (NOT USED)

PART 3 - EXECUTION

3.1 SCHEDULE OF UNIT PRICES

- A. Unit Price No. 1: Removal and Disposal of Existing Sidewalk, Driveway, Foot Lap (Concrete, Brick, Asphalt, Etc.)
 - 1. Description: This work consists of removal and satisfactory disposal of existing sidewalk, driveway, foot lap (concrete, brick asphalt, or other materials, or combinations of materials).
 - 2. Unit of Measurement: Square Yard
- B. Unit Price No. 2: Removal and Disposal of Existing Curb and Gutter Bottom
 - 1. Description: This work consists of removal and satisfactory disposal of existing curb and gutter bottom (concrete, asphalt, brick, or other materials, or combinations of materials).
 - 2. Unit of Measurement: Linear Foot
- C. Unit Price No. 3: Removal and Disposal of Existing Asphaltic Concrete Pavement.
 - 1. Description: This work consists of removal and satisfactory disposal of existing asphaltic concrete pavement.
 - 2. Unit of Measurement: Square Yard
- D. Unit Price No. 4: Roadway Excavation
 - 1. Description: This work consists of excavation of roadway base and earthen material beneath roadway pavement to be replaced as required to establish pre-existing or field modified grades, excluding any excavation inclusive to excavated sewer or water repairs in accordance with Division 31 and Division 32 of the specifications.
 - 2. Unit of Measurement: Cubic Yard
- E. Unit Price No. 5: Geotextile Fabric for Stabilization
 - 1. Description: This work consists of furnishing and installing all geotextile fabrics for embankment separation, subgrade reinforcement of roadways, subsurface drainage, or riprap lining in a manner and at locations as detailed and specified according to Section 310519 "Geosynthetics for Earthwork", as shown in the drawings or as otherwise directed by the Construction Manager.
 - 2. Unit of Measurement: Square Yard
- F. Unit Price No. 6: Geogrid
 - 1. Description: This work consists of furnishing and installing all geogrid for embankment separation, subgrade reinforcement of roadways, subsurface drainage, or riprap lining in a manner specified according to Section 310519 "Geosynthetics for Earthwork", in locations shown in the drawings or as otherwise directed by the Construction Manager.
 - 2. Unit of Measurement: Square Yard

G. Unit Price No. 7: Base Course

1. Description: This work includes procuring and properly installing aggregate base course on acceptable subbase, as indicated on the drawings and specified herein according to Section 321123 "Aggregate Base Course". The work also includes all efforts necessary to schedule and allow for testing of material, as well as satisfactory removal and cleanup of unused material from the work site.
2. Unit of Measurement: Cubic Yard

H. Unit Price No. 8: Superpave Asphaltic Concrete Wearing Course (2.5" Thick)

1. Description: This work consists of placing an asphaltic concrete wearing surface course (2.5" Thick), to the specified thickness, on binder course in conformity with the typical sections shown in the New Orleans DPW Standard Details and according to Section 321216 "Asphalt Paving."
2. Unit of Measurement: Square Yard

I. Unit Price No. 9: Superpave Asphaltic Concrete Binder Course (4.5" Thick)

1. Description: This work consists of placing concrete binder course (4.5" Thick), to the specified thickness, on precast concrete in conformity with the typical sections shown in the New Orleans DPW Standard Details and according to Section 321216 "Asphalt Paving."
2. Unit of Measurement: Square Yard

J. Unit Price No. 10: Cold Planning Asphaltic Pavement (2" Average Thick)

1. Description: This work consists of placing cold asphalt (2" Average Thick), to the specified thickness, on milled asphalt in conformity with the typical sections shown in the New Orleans DPW Standard Details and according to Section 321216 "Asphalt Paving."
2. Unit of Measurement: Square Yard

K. Unit Price No. 11: Concrete Sidewalk (4" Thick)

1. Description: This work consists of constructing concrete sidewalks in conformance with the specifications and in conformity with the locations, lines, grades, slopes, thickness, sections, and strength shown in the New Orleans DPW Standard Details and according to Section 321623 "Sidewalks and Driveways."
2. Unit of Measurement: Square Yard

L. Unit Price No. 12: Concrete Driveway (6" Thick)

1. Description: This work consists of constructing concrete driveways in conformance with the specifications and in conformity with the locations, lines, grades, slopes, thickness, sections, and strength shown on the plans and according to Section 321623 "Sidewalks and Driveways."
2. Unit of Measurement: Square Yard

M. Unit Price No. 13: 6" Concrete Mountable Curb and Gutter Bottom or Rolling Strip

1. Description: This work consists of furnishing and construction of concrete mountable curb and gutter bottom or rolling strip in accordance with the specifications and in conformity with the location, lines, grades, slopes, thickness, and typical section shown in the New Orleans DPW Standard Details and according to Section 321613 “Curbs and Gutters.”
 2. Unit of Measurement: Linear Foot
- N. Unit Price No. 14: Sodding
1. Description: This work consists of furnishing, hauling, planting, rolling, watering, and maintaining placed and in-place live grass sod at locations shown on the plans or as directed according to Section 329223 “Sodding.”
 2. Unit of Measurement: Square Yard
- O. Unit Price No. 15: Replace Lead Service Line Water House Connection (From Meter to Main)
1. Description: This work consists of the removal of exposed Lead Service Line Water House Connections with new Polyethylene Water House Connections, from the Water Main to the Water Meter, in accordance with Section 330110.73 Excavated Rehabilitation of Water Utility Piping.
 2. Unit of Measure: Each
 3. This unit price is broken down into specific pay items based on nominal service line diameter as per the Bid Form.
 4. Unit Prices by Diameter: Measurement and Payment for these Unit Price items will be made by the nominal diameter as per the Bid Form.
 - a. Unit Price No. 15: 5/8” to 1” Lead Service Line.
- P. Unit Price No. 16: Replace Broken Water Meter Box (5/8”) to (1”)
1. Description: This work consists of the removal of broken meter boxes with diameters 5/8” to 1”, in accordance with Section 330110.73 Excavated Rehabilitation of Water Utility Piping.
 2. Unit of Measure: Each
- Q. Unit Price Nos. 17-23: Install Sewer Main
1. Description: This work consists of the installation of sewer pipelines and sewer service laterals by means of excavation including full line replacement, partial line replacement (point repair) and line relocations according to Sections 330130.73 “Rehabilitation of Sewers” and 333111 “Public Sewerage Gravity Piping.”
 2. Unit of Measure: Linear Foot
 3. This unit price is broken down into specific pay items based on nominal pipe diameter and average depth of sewer pipe invert as per the Bid Form.
 4. Unit Prices by Diameter: Measurement and Payment for these Unit Price items will be made by the nominal diameter as per the Bid Form.
 5. Unit Prices by Pipe Invert Depth: Measurement and payment for these unit price items will be made by the average depth of sewer pipe invert as per the Bid Form.
 - a. Unit Price No. 17: Six-Inch (6”) Diameter at 0-ft to 6.0-ft Depth
 - b. Unit Price No. 18: Six-Inch (6”) Diameter at 6.1-ft to 8.0-ft Depth
 - c. Unit Price No. 19: Eight-Inch (8”) Diameter at 0-ft to 6.0-ft Depth
 - d. Unit Price No. 20: Eight-Inch (8”) Diameter at 6.1-ft to 8.0-ft Depth
 - e. Unit Price No. 21: Eight-Inch (8”) Diameter at 8.1-ft to 10.0-ft Depth
 - f. Unit Price No. 22: Eight-Inch (8”) Diameter at 10.1-ft to 12.0-ft Depth

- g. Unit Price No. 23: Ten-Inch (10") Diameter at 10.1-ft to 12.0-ft Depth

- R. Unit Price No. 24: Replace Existing, Sewer House Connection (H.C.) From New Main to Back of Curb
 - 1. Description: This work consists of the replacement of sewer house connected pipelines and sewer service laterals by means of excavation including full line replacement, partial line replacement (point repair) and line relocations from the sewer main to the back of curb according to Section 330130.73 "Rehabilitation of Sewers."
 - 2. Unit of Measure: Each

- S. Unit Price No. 25: Replace Existing Sewer H.C. Beyond Back of Curb
 - 1. Description: This work consists of the replacement of sewer house connected pipelines and sewer service laterals by means of excavation including full line replacement, partial line replacement (point repair) and line relocations from the back of curb to the property line according to Section 330130.73 "Rehabilitation of Sewers."
 - 2. Unit of Measure: Linear Foot

- T. Unit Price No. 26: Pipe Liner, CIPP
 - 1. Description: This work consists of providing cured-in-place pipe (CIPP) liners for rehabilitation of sewer pipelines according to section 030130.76 "Cured-In-Place Pipe Lining."
 - 2. Unit of Measure: Linear Foot
 - 3. This unit price is broken down into specific pay items based on nominal pipe diameter as per the sub-sections specified below.
 - 4. Schedule of Unit Prices by Diameter: Measurement and Payment for these Unit Price items will be made by the nominal diameter for the following Unit Price numbers:
 - a. Unit Price No. 26: Eight-Inch (8") Diameter Pipes.

- U. Unit Price No. 27: Cut Liner to Restore Existing Sewer House Connection (6", CIPP)
 - 1. Description: This work consists of cutting pipe liner to restore existing house connection according to section 030130.76 "Cured-In-Place Pipe Lining."
 - 2. Unit of Measure: Each

- V. Unit Price No. 28: Repair Water Main with Full Circle Clamp
 - 1. Description: This work consists of the rehabilitation of water mains by means of excavation and installation of full circle clamps including partial line replacement (point repair) and line relocations according to Section 330110.73 Excavated Rehabilitation of Water Utility Piping.
 - 2. Unit of Measure: Each
 - 3. This unit price is broken down into specific pay items based on nominal pipe diameter as per the Bid Form.
 - 4. Unit Prices by Diameter: Measurement and Payment for these Unit Price items will be made by the nominal diameter as per the Bid Form.
 - a. Unit Price No. 28: Pipe Diameter 4" – 8".

- W. Unit Price No. 29: Repair Water Main with Bell Joint Clamp
1. Description: This work consists of the rehabilitation of water mains by means of excavation and installation of bell joint clamps including partial line replacement (point repair) and line relocations according to Section 330110.73 Excavated Rehabilitation of Water Utility Piping.
 2. Unit of Measure: Each
 3. This unit price is broken down into specific pay items based on nominal pipe diameter as per the Bid Form.
 4. Unit Prices by Diameter: Measurement and Payment for these Unit Price items will be made by the nominal diameter as per the Bid Form.
 - a. Unit Price No. 29: Pipe Diameter 4" – 12".
- X. Unit Price No. 30: Repair Water Main by Remove and Replace-Minimum Length 4', Maximum 10' (Pipe Size 4"-12")
1. Description: This work consists of the rehabilitation of water mains by means of excavation, removal of existing water main, and installation of new water mains between 4 feet to 10 feet according to Section 330110.73 Excavated Rehabilitation of Water Utility Piping.
 2. Unit of Measure: Each
- Y. Unit Price No. 31: Repair Water Main by Remove and Replace-Beyond 10', Maximum 18' (Pipe Size 4"-12")
1. Description: This work consists of the rehabilitation of water mains by means of excavation, removal of existing water main, and installation of new water mains between 10 feet to 18 feet according to Section 330110.73 Excavated Rehabilitation of Water Utility Piping.
 2. Unit of Measure: Linear Feet
- Z. Unit Price No. 32: Removal of Handicap ramps, Curb and Gutter, and Concrete Sidewalks at Intersections Including Saw Cutting.
1. Description: This work consists of removal and satisfactory disposal of existing handicap ramps, curb and gutter, and concrete sidewalks at intersections including saw cutting.
 2. Unit of Measurement: Square Yard
- AA. Unit Price No. 33: Handicap Ramps, Curbs and Gutter, and Concrete Sidewalks at Intersections
1. Description: This work consists of all excavation, surface preparation, joint materials, welded wire fabrics, ADA compliant detectable warnings, and incidentals associated with the installation of ADA accessible handicap ramps.
 2. Unit of Measurement: Square Yard
- BB. Unit Price No. 34: Sidewalk Transition Adjacent to Handicapped Ramps

1. Description: This work consists of all excavation, surface preparation, joint materials, welded wire fabrics, and incidentals associated with the installation of ADA accessible handicap ramps and their adjacent sidewalk transitions.
2. Unit of Measurement: Square Yard

CC. Unit Price No. 35: Manhole Cover

1. Description: This work consists of the replacing an existing manhole cover with a new manhole cover, Section 330130.83 "Rehabilitation of Manholes."
2. Unit of Measurement: Each

DD. Unit Price No. 36: Manhole Frame

1. Description: This work consists of the replacing an existing manhole frame with a new manhole frame, Section 330130.83 "Rehabilitation of Manholes."
2. Unit of Measurement: Each

EE. Unit Price Nos. 37-38: Sewer Point Repair, Up to 12 Feet

1. Description: This work consists of the rehabilitation of sewer pipelines and sewer service laterals by means of excavation including full line replacement, partial line replacement (point repair) and line relocations according to Section 330130.73 "Rehabilitation of Sewers."
2. Unit of Measure: Each
3. This unit price is broken down into specific pay items based on nominal pipe diameter and average depth of inverts as per the specific unit price items as stated on the Bid Form.
4. Unit Prices by Diameter: Measurement and payment for these unit price items will be made by the nominal diameter as per the Bid Form.
5. Unit Prices by Invert Depth: Measurement and payment for these unit price items will be made by the average depth of invert per the Bid Form.
 - a. Unit Price No. 37: Eight-Inch (8") Diameter at 6.1-ft to 8.0-ft Depth
 - b. Unit Price No. 38: Eight-Inch (8") Diameter at 8.1-ft to 10.0-ft Depth

FF. Unit Price Nos. 39-40: Sewer Point Repair, Beyond 12 Feet

1. Description: This work consists of the rehabilitation of sewer pipelines and sewer service laterals by means of excavation including full line replacement, partial line replacement (point repair) and line relocations beyond 12 feet according to Section 330130.73 "Rehabilitation of Sewers."
2. Unit of Measure: Linear Foot
3. This unit price is broken down into specific pay items based on nominal pipe diameter and average depth of inverts as per the Bid Form.
4. Unit Prices by Diameter: Measurement and payment for these unit price items will be made by the nominal diameter as per the Bid Form.
5. Unit Prices by Average Invert Depth: Measurement and payment for these unit Price items will be made by the average depth of inverts per the Bid Form.
 - a. Unit Price No. 39: Eight-Inch (8") Diameter at 6.1-ft to 8.0-ft Depth
 - b. Unit Price No. 40: Eight-Inch (8") Diameter at 8.1-ft to 10.0-ft Depth

GG. Unit Price No. 41: Sewer Main Cleaning

1. Description: This work consists of cleaning sewer pipelines, sewer service laterals and manholes to remove all debris, solids, grit, sand, gravel, shells, grease, etc. as per the requirements set forth in these specifications and related requirements according to Section 330130 "Operation and Maintenance of Sewer Utilities."
2. Unit of Measurement: Linear Foot
3. This unit price is broken down into specific pay items based on nominal pipe diameter as per the sub-sections specified below.
4. Schedule of Unit Prices by Diameter: Measurement and Payment for these Unit Price items will be made by the nominal diameter for the following Unit Price numbers:
 - a. Unit Price No. 41: Eight-Inch (8")- Fourteen-Inch (14") Diameter Pipes

HH. Unit Price No. 42: Sewer Main Line CCTV Inspection

1. Description: This work consists of performing CCTV inspection of designated sanitary sewer service laterals in accordance with Section 330130.16 "CCTV Inspections of Sewers".
2. Unit of Measurement: Linear Foot

II. Unit Price No. 43: Brick Sidewalk

1. Description: This work consists of all excavation, surface preparation, and incidentals necessary for the installation of brick sidewalk.
2. Unit of Measurement: Square Yard

JJ. Unit Price No. 44: Relaying Brick Driveway

1. Description: This work consists of all excavation, surface preparation, and incidentals necessary for the relaying of brick driveway.
2. Unit of Measurement: Square Yard

KK. Unit Price No. 45: Resetting Tile Street Name

1. Description: This work consists of the resetting tile street names.
2. Unit of Measurement: Each

LL. Unit Price No. 46: Install Sewer Manhole

1. Description: The work consists of installing a new sewer manhole in accordance with section 330130.83 "Rehabilitation of Manholes."
2. Unit of Measure: Vertical Feet

MM. Unit Price No. 47: Sanitary Sewer Service Lateral CCTV Inspection

1. Description: This work consists of performing CCTV inspection of designated sanitary sewer service laterals in accordance with Section 330130.16 "CCTV Inspections of Sewers".
2. Unit of Measurement: Each

NN. Unit Price Nos. 48-50 & 53: Install Steel Encasement Pipe via Jack and Bore

1. Description: This work consists of installing steel encasement pipe via jack-and-bore according to Section 330130.73 "Rehabilitation of Sewers."
2. Unit of Measure: Linear feet
3. This unit price is broken down into specific pay items based on nominal pipe diameter and average depth of inverts as per the specific unit price items as stated on the Bid Form.
4. Unit Prices by Diameter: Measurement and payment for these unit price items will be made by the nominal diameter as per the Bid Form.
5. Unit Prices by Invert Depth: Measurement and payment for these unit price items will be made by the average depth of invert per the Bid Form.
 - a. Unit Price No. 48: Sixteen-Inch (16") Diameter at 0-ft to 6.0-ft Depth
 - b. Unit Price No. 49: Sixteen-Inch (16") Diameter at 6.1-ft to 8.0-ft Depth
 - c. Unit Price No. 50: Sixteen-Inch (16") Diameter at 8.1-ft to 10.0-ft Depth
 - d. Unit Price No. 53: Eighteen Inch (18") Diameter at 10.1-ft to 12.0-ft Depth

OO. Unit Price No. 51: Install Steel Encasement Pipe via Direct Bury

1. Description: This work consists of installing steel encasement pipe via direct bury according to Section 330130.73 "Rehabilitation of Sewers."
2. Unit of Measure: Linear feet
3. This unit price is broken down into specific pay items based on nominal pipe diameter and average depth of inverts as per the specific unit price items as stated on the Bid Form.
4. Unit Prices by Diameter: Measurement and payment for these unit price items will be made by the nominal diameter as per the Bid Form.
5. Unit Prices by Invert Depth: Measurement and payment for these unit price items will be made by the average depth of invert per the Bid Form.
 - a. Unit Price No. 51: Sixteen-Inch (16") Diameter at 10.1-ft to 12.0-ft Depth

PP. Unit Price No. 52: Install #1 Drainage Manhole/ Conflict Manhole

1. Description: This work consists of the Installing a drainage manhole / conflict manhole.
2. Unit of Measurement: Each

QQ. Unit Price No. 54: Adjust Drainage Manhole

1. Description: This work consists of the adjusting a drainage manhole.
2. Unit of Measurement: Each

RR. Unit Price No. 55: Adjust Catch Basin

1. Description: This work consists of the adjusting a catch basin.
2. Unit of Measurement: Each

END OF SECTION 012200

THIS PAGE LEFT INTENTIONALLY BLANK

"General Decision Number: LA20240005 01/05/2024

Superseded General Decision Number: LA20230005

State: Louisiana

Construction Type: Heavy

Counties: Jefferson, Orleans, Plaquemines, St Bernard, St Charles, St James, St John the Baptist and St Tammany Counties in Louisiana.

HEAVY CONSTRUCTION PROJECTS (Includes flood control, water & sewer lines, and water wells. Also includes elevated storage tanks in all listed parishes except Plaquemines and St. James. Excludes industrial construction-chemical processing, power plants, and refineries.)

Note: Contracts subject to the Davis-Bacon Act are generally required to pay at least the applicable minimum wage rate required under Executive Order 14026 or Executive Order 13658. Please note that these Executive Orders apply to covered contracts entered into by the federal government that are subject to the Davis-Bacon Act itself, but do not apply to contracts subject only to the Davis-Bacon Related Acts, including those set forth at 29 CFR 5.1(a)(1).

If the contract is entered into on or after January 30, 2022, or the contract is renewed or extended (e.g., an option is exercised) on or after January 30, 2022:	. Executive Order 14026 generally applies to the contract. . The contractor must pay all covered workers at least \$17.20 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract in 2024.
If the contract was awarded on or between January 1, 2015 and January 29, 2022, and the contract is not renewed or extended on or after January 30, 2022:	. Executive Order 13658 generally applies to the contract. . The contractor must pay all covered workers at least \$12.90 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on that contract in 2024.

The applicable Executive Order minimum wage rate will be adjusted annually. If this contract is covered by one of the Executive Orders and a classification considered necessary for performance of work on the contract does not appear on this wage determination, the contractor must still submit a conformance request.

Additional information on contractor requirements and worker protections under the Executive Orders is available at

PLUM0060-002 06/05/2023

JEFFERSON, ORLEANS, PLAQUEMINES, ST. BERNARD, ST. CHARLES, ST. JAMES (Southeastern Portion), ST. JOHN THE BAPTIST, and ST. TAMMANY PARISHES

	Rates	Fringes
Plumbers (excluding pipe laying).....	\$ 31.70	13.85

PLUM0198-005 12/08/2022

ST. JAMES PARISH (Northwestern Portion)

	Rates	Fringes
PLUMBER (excluding pipe laying).....	\$ 32.42	16.50

SULA2004-007 05/13/2004

	Rates	Fringes
CARPENTER (all other work).....	\$ 13.75 **	2.60

Laborers:

Common/Landscape.....	\$ 9.88 **	0.00
Fence.....	\$ 11.24 **	0.00
Flagger.....	\$ 8.58 **	0.00
Mason Tender.....	\$ 7.25 **	0.00
Pipelayer.....	\$ 9.84 **	0.00

PIPEFITTER (excluding pipelaying).....	\$ 17.52	4.51
--	----------	------

Power equipment operators:

Backhoe/Excavator.....	\$ 14.42 **	0.00
Crane.....	\$ 16.34 **	3.30
Dragline.....	\$ 16.50 **	0.00
Front End Loader.....	\$ 13.89 **	0.00
Oiler.....	\$ 10.03 **	0.00

Truck drivers:

Dump.....	\$ 11.01 **	0.00
Pickup.....	\$ 12.25 **	0.00

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

=====
** Workers in this classification may be entitled to a higher minimum wage under Executive Order 14026 (\$17.20) or 13658 (\$12.90). Please see the Note at the top of the wage determination for more information. Please also note that the minimum wage requirements of Executive Order 14026 are not currently being enforced as to any contract or subcontract to which the states of Texas, Louisiana, or Mississippi, including their agencies, are a party.

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave

for Federal Contractors applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at <https://www.dol.gov/agencies/whd/government-contracts>.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (iii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of ""identifiers"" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than ""SU"" or ""UAVG"" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

Survey Rate Identifiers

Classifications listed under the ""SU"" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates

the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour National Office because National Office has responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations
Wage and Hour Division
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====

END OF GENERAL DECISION"