LOUISIANA TECH UNIVERSITY

T.

RETURN THIS FORM TO: PURCHASING OFFICE

208 Keeny Circle, Rm. 408 Ruston, LA 71272

Phone: 318-257-4205

Company Quote #

if applicable

318-257-3772

P.O. Box 3157

Fax:

INVITATION TO BID ONLY

BIDDER MUST FILL IN COMPANY NAME AND COMPLETE ADDRESS (PRINTED OR TYPED)

PHONE: FAX: EMAIL:

FAILURE TO SIGN WILL DISQUALIFY BID

BID SUBMISSI		
May 17, 202	4 @ 2	2:00Pl
BID NUMBER:		
50012-568-24	1	
DEPARTMENT		-7
Computer Science	& Cyber E	ngineeri
	1	
DELIVERY IN		D#

Prices are to be complete and the FOB point to be Louisiana Tech University unless otherwise specified.

Typed or Printed Name Authorized Signature/Title

ITEM:	COMPLETE SPECIFICATIONS	QTY. & UNIT:	UNIT PRICE:	AMOUNT:
	Louisiana Tech University's Computer Science and Cyber Engineering Department is now accepting SEALED bids for the following:			
1	Living with Cyber Curriculum Kits	350		
-	This bid is for the purchase of 350 kits for the Living with Cyber Curriculum during the Academic Year 2024-25. The following items must be part of the kit. The kits will be used by students in the Living with Cyber freshman curriculum (CSC/CYEN 130, 131, 132) that is taken by all computing students in the University's College of Engineering and Science (primarily CS majors, CYEN majors, and CS minors). The supplies are many items put together in the form of a pre-packaged kit. The equipment listed on the attached Schedule of items must be compatible with each other and must fit within the context of the freshman curriculum as it has been designed (with the equipment). Please pay attention to any notes in the list attached; as they either help compatibility and/or map to predefined activities with part constraints. Vendors must be able to fill order of 25 kits by July 1, 2024 and 325 kits by August 1, 2024 (for a total of 350 kits).			4
	NO BID BOND IS REQUIRED FOR THIS BID			
	PLEASE SEE THE ATTACHED BID SPECIFICATIONS			
	ALL BIDS MUST BE RETURNED TO THE LOUISIANA TECH PURCHASING OFFICE VIA MAIL OR IN PERSON. DO NOT FAX OR EMAIL.			
	For questions or more information, please contact Marsha Smith or Dr. Anky Kiremire at 318-257-2262.			-

IMPORTANT: If bidding other than requested brand and product number (or style), enclose sufficient literature to determine compliance with specifications. Failure to comply with this request may eliminate your bid from consideration. Any manufacturer's names, trade names, brand names, or catalog numbers used in the specifications are for the purpose of describing and establishing general quality levels. Such references or not intended to be restrictive. Bids will be considered for any brand which meets or exceeds the quality of the specifications listed for any item.

Schedule of Items

Page No. 2 Purchase Req. # 97 7667 Bid No. 50012-568-24

Important: If bidding other than requested brand and product number (or style), please enclose sufficient literature to determine compliance with specification. Failure to comply with this request may eliminate your bid from consideration. Any manufacture's names, trade, brand names, or catalog numbers used in the specifications are for the purpose of describing and establishing general quality levels. Such references are not intended to be restrictive. Bids will be considered for any brand, which

Description SASITI SASIT		exceeds the quality of the specifications listed for any items.	OHANTITY	UNIT DDICE	AMOUNT
8"-10" LCD touchscreen (Raspberry Pi Foundation TFT or equal) 8"-10" LCD touchscreen (Raspberry Pi Foundation TFT or equal) 1 "5V 2.5A power supply (for the Raspberry Pi and touchscreen) 1 "16 or 32 GB (preferred) microSD card with our custom image pre-installed. Image available upon request. 5 Case for LCD touchscreen (SmartPl Touch or equivalent; with USB splitter to provide power to both the Raspberry Pi and touchscreen simultaneously) 6 "USB (wired) keyboard - (must not be wireless) 1 "USB (wired) mouse - (must not be wireless) 8 USB-powered speakers (capable of producing reasonable quality sound; with 6" or longer 3.5mm audio cable) 9 Mini screwdriver (reversible, to support both phillips and flat head) 10 Full-size breadboard with internal connectivity across both halves of the power rails 11 GPIO breakout board (must directly supply 5V, 3.3V, and GND to the breadboard power rails) with 12" to 24" ribbon cable (must have a terminal connector with an orientation tab) and short circuit protection (must protect the Raspberry Pi from accidentally shorting the power rails to each other and the power rails to GND) 12 6" male-male jumper wires 13 8" male-male jumper wires 15 3" female-female jumper wires 16 S8550 PNP transistors (must be in the TO-92 package) 17 1K ohm 1/4W 5% resistors (with 0.6mm leads) 18 2K ohm 1/4W 5% resistors (with 0.6mm leads) 19 5mm diffused red LEDs	ITEM	<u>Description</u>	QUANTITY	UNIT PRICE	AMOUNT
**5V 2.5A power supply (for the Raspberry Pi and touchscreen) **16 or 32 GB (preferred) microSD card with our custom image pre-installed. Image available upon request. Case for LCD touchscreen (SmartPl Touch or equivalent; with USB splitter to provide power to both the Raspberry Pi and touchscreen simultaneously) **USB (wired) keyboard - (must not be wireless) USB-powered speakers (capable of producing reasonable quality sound; with 6" or longer 3.5mm audio cable) Mini screwdriver (reversible, to support both phillips and flat head) Full-size breadboard with internal connectivity across both halves of the power rails of the power rails with 12" to 24" ribbon cable (must have a terminal connector with an orientation tab) and short circuit protection (must protect the Raspberry Pi from accidentally shorting the power rails to each other and the power rails to GND) 6" male-male jumper wires 3" female-female jumper wires 15 3" female-female jumper wires 16 220 ohm 1/4W 5% resistors (with 0.6mm leads) 17 K ohm 1/4W 5% resistors (with 0.6mm leads) 5 5 5 5 5 5 6 6 7 6 7 7 7 7 7 7 7 7 7	1	Raspberry Pi 400 (or equivalent single-board computer)	1		
*16 or 32 GB (preferred) microSD card with our custom image pre-installed. Image available upon request. Case for LCD touchscreen (SmartPl Touch or equivalent; with USB splitter to provide power to both the Raspberry Pi and touchscreen simultaneously) "USB (wired) keyboard - (must not be wireless) "USB (wired) mouse - (must not be wireless) "USB-powered speakers (capable of producing reasonable quality sound; with 6" or longer 3.5mm audio cable) Mini screwdriver (reversible, to support both phillips and flat head) Full-size breadboard with internal connectivity across both halves of the power rails GPIO breakout board (must directly supply 5V, 3.3V, and GND to the breadboard power rails) with 12" to 24" ribbon cable (must have a terminal connector with an orientation tab) and short circuit protection (must protect the Raspberry Pi from accidentally shorting the power rails to each other and the power rails to GND) 12 6" male-male jumper wires 13 8" male-male jumper wires 15 3" female-female jumper wires 16 220 ohm 1/4W 5% resistors (with 0.6mm leads) 17 1K ohm 1/4W 5% resistors (with 0.6mm leads) 18 2K ohm 1/4W 5% resistors (with 0.6mm leads) 5 5 5 6 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8	2	8"-10" LCD touchscreen (Raspberry Pi Foundation TFT or equal)	1		
pre-installed. Image available upon request. Case for LCD touchscreen (SmartPl Touch or equivalent; with USB splitter to provide power to both the Raspberry Pi and touchscreen simultaneously) "USB (wired) keyboard - (must not be wireless) "USB (wired) mouse - (must not be wireless) "USB-powered speakers (capable of producing reasonable quality sound; with 6" or longer 3.5mm audio cable) Mini screwdriver (reversible, to support both phillips and flat head) Full-size breadboard with internal connectivity across both halves of the power rails GPIO breakout board (must directly supply 5V, 3.3V, and GND to the breadboard power rails) with 12" to 24" ribbon cable (must have a terminal connector with an orientation tab) and short circuit protection (must protect the Raspberry Pi from accidentally shorting the power rails to each other and the power rails to GND) c" male-male jumper wires 3" female-female jumper wires 15 3" female-female jumper wires 15 3" female-female jumper wires 16 220 ohm 1/4W 5% resistors (with 0.6mm leads) 17 1K ohm 1/4W 5% resistors (with 0.6mm leads) 18 2K ohm 1/4W 5% resistors (with 0.6mm leads) 5 5 5 5 5 5 5 5 6 6 6 6 7 7 7 7 7 7 7 7 7	3	*5V 2.5A power supply (for the Raspberry Pi and touchscreen)	1		
splitter to provide power to both the Raspberry Pi and touchscreen simultaneously) 1 "USB (wired) keyboard - (must not be wireless) 1 "USB (wired) mouse - (must not be wireless) 1 USB-powered speakers (capable of producing reasonable quality sound; with 6" or longer 3.5mm audio cable) 9 Mini screwdriver (reversible, to support both phillips and flat head) 10 Full-size breadboard with internal connectivity across both halves of the power rails 11 GPIO breakout board (must directly supply 5V, 3.3V, and GND to the breadboard power rails) with 12" to 24" ribbon cable (must have a terminal connector with an orientation tab) and short circuit protection (must protect the Raspberry Pi from accidentally shorting the power rails to each other and the power rails to GND) 12 6" male-male jumper wires 13 8" male-male jumper wires 14 3" female-female jumper wires 15 S8550 PNP transistors (must be in the TO-92 package) 16 220 ohm 1/4W 5% resistors (with 0.6mm leads) 17 1K ohm 1/4W 5% resistors (with 0.6mm leads) 18 2K ohm 1/4W 5% resistors (with 0.6mm leads) 19 5mm diffused red LEDs 10	4		2		
7 "USB (wired) mouse - (must not be wireless) 8 USB-powered speakers (capable of producing reasonable quality sound; with 6" or longer 3.5mm audio cable) 9 Mini screwdriver (reversible, to support both phillips and flat head) 10 Full-size breadboard with internal connectivity across both halves of the power rails 11 GPIO breakout board (must directly supply 5V, 3.3V, and GND to the breadboard power rails) with 12" to 24" ribbon cable (must have a terminal connector with an orientation tab) and short circuit protection (must protect the Raspberry Pi from accidentally shorting the power rails to each other and the power rails to GND) 12 6" male-male jumper wires 13 8" male-male jumper wires 14 3" female-female jumper wires 15 S8550 PNP transistors (must be in the TO-92 package) 16 220 ohm 1/4W 5% resistors (with 0.6mm leads) 17 1K ohm 1/4W 5% resistors (with 0.6mm leads) 18 2K ohm 1/4W 5% resistors (with 0.6mm leads) 19 5mm diffused red LEDs 10	5	splitter to provide power to both the Raspberry Pi and touchscreen	. 1		
USB-powered speakers (capable of producing reasonable quality sound; with 6" or longer 3.5mm audio cable) Mini screwdriver (reversible, to support both phillips and flat head) Full-size breadboard with internal connectivity across both halves of the power rails GPIO breakout board (must directly supply 5V, 3.3V, and GND to the breadboard power rails) with 12" to 24" ribbon cable (must have a terminal connector with an orientation tab) and short circuit protection (must protect the Raspberry Pi from accidentally shorting the power rails to each other and the power rails to GND) Compared to the power rails to generally shorting the power rails to each other and the power rails to GND) Semale-male jumper wires Semale-male jumper wires Semale-female jumper wires Semale-fe	6	*USB (wired) keyboard - (must not be wireless)	1		
sound; with 6" or longer 3.5mm audio cable) Mini screwdriver (reversible, to support both phillips and flat head) Full-size breadboard with internal connectivity across both halves of the power rails GPIO breakout board (must directly supply 5V, 3.3V, and GND to the breadboard power rails) with 12" to 24" ribbon cable (must have a terminal connector with an orientation tab) and short circuit protection (must protect the Raspberry Pi from accidentally shorting the power rails to each other and the power rails to GND) 6" male-male jumper wires 8" male-male jumper wires 15 3" female-female jumper wires 10 S8550 PNP transistors (must be in the TO-92 package) 8 220 ohm 1/4W 5% resistors (with 0.6mm leads) 15 17 1K ohm 1/4W 5% resistors (with 0.6mm leads) 25 26 27 28 38 39 30 30 30 31 31 32 34 35 36 36 37 38 38 38 38 39 30 30 30 30 30 30 30 30 30	7	*USB (wired) mouse - (must not be wireless)	1		
Full-size breadboard with internal connectivity across both halves of the power rails 11 GPIO breakout board (must directly supply 5V, 3.3V, and GND to the breadboard power rails) with 12" to 24" ribbon cable (must have a terminal connector with an orientation tab) and short circuit protection (must protect the Raspberry Pi from accidentally shorting the power rails to each other and the power rails to GND) 12 6" male-male jumper wires 13 8" male-male jumper wires 14 3" female-female jumper wires 15 10 11 15 S8550 PNP transistors (must be in the TO-92 package) 16 220 ohm 1/4W 5% resistors (with 0.6mm leads) 17 1K ohm 1/4W 5% resistors (with 0.6mm leads) 18 2K ohm 1/4W 5% resistors (with 0.6mm leads) 19 5mm diffused red LEDs 10	8		1		
of the power rails GPIO breakout board (must directly supply 5V, 3.3V, and GND to the breadboard power rails) with 12" to 24" ribbon cable (must have a terminal connector with an orientation tab) and short circuit protection (must protect the Raspberry Pi from accidentally shorting the power rails to each other and the power rails to GND) 6" male-male jumper wires 8" male-male jumper wires 15 3" female-female jumper wires 10 S8550 PNP transistors (must be in the TO-92 package) 8 220 ohm 1/4W 5% resistors (with 0.6mm leads) 1K ohm 1/4W 5% resistors (with 0.6mm leads) 2K ohm 1/4W 5% resistors (with 0.6mm leads) 5 5mm diffused red LEDs	9	Mini screwdriver (reversible, to support both phillips and flat head)	1		
the breadboard power rails) with 12" to 24" ribbon cable (must have a terminal connector with an orientation tab) and short circuit protection (must protect the Raspberry Pi from accidentally shorting the power rails to each other and the power rails to GND) 12 6" male-male jumper wires 15 13 8" male-male jumper wires 15 14 3" female-female jumper wires 10 15 S8550 PNP transistors (must be in the TO-92 package) 16 220 ohm 1/4W 5% resistors (with 0.6mm leads) 17 1K ohm 1/4W 5% resistors (with 0.6mm leads) 18 2K ohm 1/4W 5% resistors (with 0.6mm leads) 19 5mm diffused red LEDs 10	10		1		
8" male-male jumper wires 15 14 3" female-female jumper wires 10 15 S8550 PNP transistors (must be in the TO-92 package) 16 220 ohm 1/4W 5% resistors (with 0.6mm leads) 17 1K ohm 1/4W 5% resistors (with 0.6mm leads) 18 2K ohm 1/4W 5% resistors (with 0.6mm leads) 19 5mm diffused red LEDs 10	11	the breadboard power rails) with 12" to 24" ribbon cable (must have a terminal connector with an orientation tab) and short circuit protection (must protect the Raspberry Pi from accidentally shorting	1		
3" female-female jumper wires 10 S8550 PNP transistors (must be in the TO-92 package) 8 220 ohm 1/4W 5% resistors (with 0.6mm leads) 1K ohm 1/4W 5% resistors (with 0.6mm leads) 2K ohm 1/4W 5% resistors (with 0.6mm leads) 5 5 6 7 8 7 1K ohm 1/4W 5% resistors (with 0.6mm leads) 5 7 8 1B 1B 1B 1B 1B 1B 1B 1B 1B	12	6" male-male jumper wires	15		
15 S8550 PNP transistors (must be in the TO-92 package) 16 220 ohm 1/4W 5% resistors (with 0.6mm leads) 17 1K ohm 1/4W 5% resistors (with 0.6mm leads) 18 2K ohm 1/4W 5% resistors (with 0.6mm leads) 19 5mm diffused red LEDs 10	13	8" male-male jumper wires	15		
16 220 ohm 1/4W 5% resistors (with 0.6mm leads) 25 17 1K ohm 1/4W 5% resistors (with 0.6mm leads) 5 18 2K ohm 1/4W 5% resistors (with 0.6mm leads) 5 19 5mm diffused red LEDs 10	14	3" female-female jumper wires	10		
17 1K ohm 1/4W 5% resistors (with 0.6mm leads) 5 18 2K ohm 1/4W 5% resistors (with 0.6mm leads) 5 19 5mm diffused red LEDs 10	15	S8550 PNP transistors (must be in the TO-92 package)	8		
18 2K ohm 1/4W 5% resistors (with 0.6mm leads) 5 19 5mm diffused red LEDs 10	16	220 ohm 1/4W 5% resistors (with 0.6mm leads)	25		
19 5mm diffused red LEDs 10	17	1K ohm 1/4W 5% resistors (with 0.6mm leads)	5		
	18	2K ohm 1/4W 5% resistors (with 0.6mm leads)	5		
20 5mm diffused green LEDs 5	19	5mm diffused red LEDs	10		7
	20	5mm diffused green LEDs	5		

Schedule of Items

Page No. 3

Purchase Req. # 97 7667 Bid No. 50012-568-24

Important: If bidding other than requested brand and product number (or style), please enclose sufficient literature to determine compliance with specification. Failure to comply with this request may eliminate your bid from consideration. Any manufacture's names, trade, brand names, or catalog numbers used in the specifications are for the purpose of describing and establishing general quality levels. Such references are not intended to be restrictive. Bids will be considered for any brand, which meets or exceeds the quality of the specifications listed for any items.

ITEM	exceeds the quality of the specifications listed for any items.	QUANTITY	UNIT PRICE	AMOUNT
112.11	<u>Description</u>	OCANTITI	UNII FRICE	AMOUNT
21	5mm diffused yellow LEDs	5		
22	5mm diffused blue LEDs	5		
23	5mm diffused RGB LEDs (common cathode)	3		
24	6mm square tactile push-button switches (with breadboard-friendly straight legs)	6		
25	HC-SR04 ultrasonic ranging sensor	1		
26	*Micro-HDMI to HDMI adapter	1		
27	Carrying case (to comfortably fit all of the supplies in the kit; all of the above must be pre-packaged in the carrying case)	1		
28	PIR motion sensor	1		
	Guaranteed compatibility of all items Items marked with * are already included in the original raspberry pi 400 kit and should only be supplied if an alternative kit is quoted.			

THIS IS A REQUEST FOR A SEALED BID INSTRUCTIONS TO BIDDERS

- 1. Read the entire bid, including all terms and conditions and specifications.
- Louisiana Tech University is not liable for any cost incurred by the bidders prior to execution of a contract and the issuance
 of a purchase order. Any bidder who ships or otherwise expends time or money prior to award as defined does so at the
 bidder's own risk.
- 3. All bid prices must be typed or written in ink. Any corrections, erasures or other forms of alteration to unit prices should be initialed by the bidder. If the bidder needs to submit a change, question, exception, or modification to any aspect of the bid specifications, terms, conditions, or bidder instructions, must do so in written form submitted to the Louisiana Tech University Purchasing Office prior to the bid opening date. All responses and/or addenda will be officially submitted by the Louisiana Tech University Purchasing Office 72 business hours before the bid opening date. Business hours is defined as University operating hours while the University is open. Unless received as specified above, all bid information will remain unchanged.
- 4. This bid is to be manually signed in ink.
- 5. Bid prices shall include all delivery charges paid by the vendor, F.O.B. Destination, unless otherwise provided in the solicitation. Bids requiring deposits, "payment in advance" or "C.O.D" may be rejected. Payment is to be made within 30 days after receipt of properly executed invoice or delivery, whichever is later.
- Amount of bid bond required: every bid submitted for in excess of fifty thousand dollars shall be accompanied by a bid bond guaranteed by a surety company qualified to do business in the state of Louisiana. The bid bond shall be for five percent of the official bid amount.
- 7. To assure consideration of your bid, all bids and addenda should be returned in an envelope or package clearly marked with the bid opening date and the bid number; or submitted in the special envelope, if furnished for that purpose.
- 8. Bids submitted are subject to provisions of the laws of the State of Louisiana including but not limited to L.R.S. 39:1551-1736; Purchasing rules and regulations; executive orders; standard terms and conditions; special conditions; and specifications listed in this solicitation.
- 9. <u>Important</u>: By signing the bid, the bidder certifies compliance with all instructions to bidders, terms conditions and specifications, and further certifies that this bid is made without collusion or fraud. This bid is to be manually signed in ink by a person authorized to bind the vendor (see no. 27). All bid information shall be in ink or typewritten.
- 10. Address all inquiries and correspondence to the Louisiana Tech University Office of Purchasing at the address and telephone number listed herein.
- 11. Bid forms: All written bids, unless otherwise provided for, must be submitted on, and in accordance with, forms provided, and properly signed (see no. 27). Bids submitted in the following manner will not be accepted:
 - A. Bid contains no signature indicating intent to be bound;
 - B. Bid sent by facsimile equipment;
 - C. Bid filled out in pencil; and
 - D. Bid not submitted on the designated bid forms.
- 12. Bids must be received at the address specified in the solicitation prior to bid opening time in order to be considered.
- 13. Standards of quality Any product or service bid shall conform to all applicable federal, state, and local laws and regulations, and the specifications contained in the solicitation. If bidding other than the requested brand or product number (or style), enclose sufficient literature to determine compliance with specifications. Failure to comply with this request may eliminate your bid from consideration. Unless otherwise specified in the solicitation document, any manufacturer's name,

- 24. The bidder agrees to abide by the requirements of the following as applicable: Title VI of the Civil Rights Act of 1964 and Title VII of the Civil Rights Act of 1964, as amended by the Equal Employment Opportunity Act of 1972, Federal Executive Order 11246 as amended, the Rehabilitation Act of 1973, as amended, the Vietnam Era Veteran's Readjustment Assistance Act of 1974, Title IX of the Education Amendments of 1972, the Age Discrimination Act of 1975, the Fair Housing Act of 1968 as amended, and bidder agrees to abide by the requirements of the Americans with Disabilities Act of 1990. Bidder agrees not to discriminate in its employment practices, and will render services under this contract without regard to race, color, religion, sex, sexual orientation, gender identity, national origin, veteran status, political affiliation, disability, or age in any matter relating to employment. Any act of discrimination committed by bidder, or failure to comply with these statutory obligations when applicable shall be grounds for termination of any contract entered into as a result of this solicitation.
- 25. Special accommodation: Any "qualified individual with a disability" as defined by the Americans with Disabilities Act, who has submitted a bid and desires to attend the bid opening, must notify the Louisiana Tech University Office of Purchasing in writing not later than seven days prior to the bid opening date of their need for special accommodations. If the request cannot be reasonably provided, the individual will be informed prior to the bid opening.
- 26. Indemnity: Contractor agrees, upon receipt of written notice of a claim or action, to defend the claim or action, or take other appropriate measure, to indemnify, and hold harmless, the state, its officers, its agents and its employees from and against all claims and actions for bodily injury, death or property damages caused by the fault of the contractor, its officers, its agents, or its employees. Contractor is obligated to indemnify only to the extent of the fault of the contractor, its officers, its agents, or its employees. However, the contractor shall have no obligation as set forth above with respect to any claim or action from bodily injury, death or property damages arising out of the fault of the state, its officers, its agents or its employees.
- 27. Signature authority: Attention: R.S. 39:1594(c) (4) requires evidence of authority to sign and submit bids to the State of Louisiana. You must indicate which of the following apply to the signer of this bid.

Please circle one:

- 1) The signer of this bid is either a corporate officer who is listed on the most current annual report on file with the Secretary of State or a member of a partnership or partnership in commendam as reflected in the most current partnership records on file with the Secretary of State. A copy of the annual report or partnership must be submitted to this office before contract award.
- 2) The signer of this bid is a representative of the bidder authorized to submit this bid as evidenced by documents such as Corporate Resolution, Certification as to Corporate Principal, etc. If this applies, a copy of the resolution, certification, or other supportive documents must be attached hereto.
- 3) The bidder has filed with the Secretary of State an affidavit or resolution or other acknowledged/authentic document indicating that the signer is authorized to submit bids for public contracts. A copy of the applicable document must be submitted to this office before contract award.
- 28. In accordance with the provisions of R.S. 39:2182, in awarding contracts after August 15, 2010, any public entity is authorized to reject a proposal or bid form, or not award the contract to, a business in which any individual with an ownership interest of five percent or more, has been convicted of, or has entered a plea of guilty or nolo contendere to any state felony or equivalent federal felony crime committed in the solicitation or execution of a contract or bid awarded under the laws governing public contracts under the provisions of chapter 10 of Title 38 of the Louisiana Revised Statutes of 1950; professional, personal, consulting, and social services procurement under the provisions of Chapter 16 of Title 39, or the Louisiana Procurement Code under the provisions of Chapter 17 of Title 39.
- 29. It is agreed that the Legislative Auditor of the State of Louisiana and/or the Office of the Governor, Division of Administration auditors shall have the option of auditing all accounts which relate to this contract.
- 30. The continuation of this contract is contingent upon the appropriation of funds to fulfill the requirements of the contract by the legislature. If the legislature fails to appropriate sufficient monies to provide for the continuation of the contract, or if

TO:

Louisiana Veteran-Owned and Service-Connected Disabled Veteran-Owned Small Entrepreneurships

RE:

Veteran Initiative – Act 167 of the 2009 Legislative Session

> ARE YOU ELIGIBLE FOR PARTICIPATION?

- Are you a veteran-owned small entrepreneurship or a service-connected disabled veteran-owned small entrepreneurship in accordance with documentation from the United States Department of Veteran Affairs or the Louisiana Department of Veteran Affairs?
- Are you a Louisiana domiciled business?
- Do you have less than fifty (50) full-time employees?
- Are your annual gross revenue receipts \$5,000,000 or less (for construction) or \$3,000,000 for (non-construction) for each of the previous three (3) tax years?

If your answers are yes, your company may be eligible for participation in the Louisiana Veteran-Owned and Service-Connected Disabled Veteran-Owned Small Entrepreneurship Program, also known as the Veteran Initiative.

> WHAT IS THE VETERAN INITIATIVE?

The Veteran Initiative, created by LRS 39:2171 through 2179 and LRS 51:931, provides additional opportunities for certified Louisiana-based small entrepreneurships to participate in contracting and procurement with the State. Key features of the programs are:

- This is a goal-oriented program
- It is race and gender neutral
- Participation is restricted to Louisiana-based certified veteran-owned and service-connected disabled veteran-owned small entrepreneurships

The rules governing the implementation of the program are located at http://www.doa.louisiana.gov/osp/se/se.htm.

> WHY IS CERTIFICATION IMPORTANT?

Certification is required for the participation in the Veteran Initiative. Under this program, you may be given increased opportunity to participate in Louisiana state contracts. Certain contracts may be awarded to your business without competition. And, certification is one of the methods that the State of Louisiana will utilize as a basis for benchmarking for annualized procurement and contracting goals.

> WHAT AGENCY IS RESPONSIBLE FOR CERTIFICATION?

The Louisiana Department of Economic Development (LED) is responsible for certifying Small Entrepreneurships for participation in the program. The (LED) Small Business Certification System may be accessed by https://smallbiz.louisianaeconomicdevelopment.com/Account/Login. For additional information regarding certification, please contact the LED at 800.450.8115 or 225.342.3000.

> WHAT IS THE ROLE OF THE DEPARTMENT OF VETERANS AFFAIRS?

The Louisiana Department of Veterans Affairs is responsible for disseminating information on this program and other veterans' benefits to Louisiana veterans. Information on this program and other veterans' benefits can be accessed at www.vetaffairs.al.gov.

The State of Louisiana is committed to the success of this program and encourages your participation.